

Bibliography

A Biological Conservation Assessment for the Utah-Wyoming Rocky Mountain Ecoregion: Report to the Nature Conservancy. 2001. R. Noss, G. Wuerthner, K. Vance-Borland, and C. Carroll. Conservation Science, Inc. 125 pp. + Executive Summary and Appendix D.

A Landowner's Guide to Montana Wetlands. Montana Watercourse.

Adelman, E. B. 1979. A survey of the nongame mammals in the Upper Rattlesnake Creek drainage of western Montana. M.S. thesis. University of Montana, Missoula, MT. 129 pp.

Agnew, W., D. W. Uresk, and R. M. Hansen. 1986. Flora and fauna associated with prairie dog colonies and adjacent ungrazed mixed-grass prairie in western South Dakota. *Journal of Range Management* 39:135–139.

Alden, W. C. 1953. Physiographic and glacial geology of western Montana and adjacent areas. Geological Survey Professional Paper 231. U.S. Government Printing Office.

Aldrich, D. F. 1972. Wilderness fire management planning guidelines and inventory procedures.

Aldrich, J. W. 1963. Geographic orientation of American Tetraonidae. *Journal of Wildlife Management* 27:529–545.

Ali, M. A., and M. Anctil. 1977. Retinal structure and function in the walleye (*Stizostedion vitreum vitreum*) and sauger (*S. canadense*). *Journal of the Fisheries Research Board of Canada* 34:1467–1474.

Allendorf, F. W., D. M. Esperlund, and D. T. Scow. 1980. Coexistence of native and introduced rainbow trout in the Kootenai River drainage. *Proceedings of the Montana Academy of Sciences* 39:28–36.

Altenbach, J. S., W. Amy, P. V. Bradley, P. E. Brown, K. Dewberry, D. B. Hall, J. Jeffers, B. Lund, J. E. Newmark, M. J. O'Farrell, M. Rahn, R. E. Sherwin, C. R. Tomlinson, and J. A. Williams. 2002. Nevada Bat Conservation Plan. Nevada Bat Working Group, Austin, NV. 188 pp.

Altman, B., and R. Sallabanks. 2000. Olive-sided flycatcher (*Contopus cooperi*). In *The birds of North America*, No. 502, A. Poole and F. Gill, eds. The Birds of North America, Inc., Philadelphia, PA. 28 pp.

American Fisheries Society. Fisheries Management Section, publication number 1. Bethesda, MD.

American Fisheries Society Montana Chapter website:
<http://www.fisheries.org/AFSmontana/SSCpages/White%20Sturgeon%20Status.htm>.

American Wildlands. 2003. Montana Mountain Ranges with American Wildland Corridors Map. 40 East Main Street, Suite #2, Bozeman, MT 59715.

Anders, P. J., and D. L. Richards. 1996. Implications of ecotype collapse on white sturgeon (*Acipenser transmontanus*) in the Kootenai River, Idaho, Montana, and British Columbia. Pp. 27–40 in Proceedings from the International Congress on the Biology of Fishes: Culture and Management of Sturgeon and Paddlefish Symposium Proceedings. San Francisco State University, July 14–18, 1996.

Anderson, M. E. et al. 1978. Black-footed ferret recovery plan. U.S. Fish and Wildlife Service Black-footed ferret recovery team. 150 pp.

Anonymous. 1999. Yellowstone cutthroat trout: current status and recommendations within the state of Montana. Gallatin and Custer National Forests, Regions 3 and 5, Montana Department of Fish, Wildlife & Parks, and U.S. Fish and Wildlife Service Montana Technical Assistance Office.

AOU. 1957. American Ornithological Union Check-list of North American Birds, pp. 137–139. The Lord Baltimore Press, Inc., Baltimore, MD.

Apperson, K. A., and P. J. Anders. 1991. Kootenai River white sturgeon investigations and experimental culture. Annual Progress Report FY 1990. Bonneville Power Administration. 75 pp.

Arndt, S. K. A., and J. Hutchinson. 2000. Characteristics of a tributary-spawning population of burbot from Columbia Lake, British Columbia. Pp. 48–60 in V. L. Paragamian and D. W. Willis, eds. Burbot: biology, ecology, and management.

Arno, Stephen F. 1979. Forest regions of Montana. Res. Pap INT-218. U.S.D.A. Forest Service, Intermountain Forest and Range Experiment Station, Odgen, UT. 39 pp.

Ashley, J. 1994. Progress report: harlequin duck inventory and monitoring in Glacier National Park, Montana. Unpublished report. Division of Research Management, Glacier National Park, MT. 14 pp.

Atkinson, E. C., and M. L. Atkinson. 1990. Distribution and status of flammulated owls (*Otus flammeolus*) on the Salmon National Forest. Unpublished report.

Idaho Natural Heritage Program, Idaho Department of Fish and Game, Salmon National Forest. 25 pp. + appendices.

Aune, K., T. Stivers, and M. Madel. 1984. Rocky Mountain Front grizzly bear monitoring and investigation. Montana Department of Fish, Wildlife & Parks, Helena, MT. 239 pp.

Bailey, R., and M. Allum. 1962. Fishes of South Dakota. Museum of Zoology, University of Michigan, Ann Arbor, MI.

Bartelt, P. E. 1998. Western toad (*Bufo boreas*). Mortality. Herpetological Review 29:96.

Bartos, Dale L., and Robert B. Campbell. February 1998. Decline of Quaking Aspen in the Interior West—Examples from Utah. Rangelands. Vol. 20, No. 1.

Baskins, Y. 1993. Trumpeter swans relearn migration. BioSci. 43(2):76–79.

Baxter, G., and J. Simon. 1970. Wyoming fishers. Bulletin Number 4. Wyoming Game and Fish Department, Cheyenne, WY.

Baydack, R. K., and D. A. Hein. 1987. Tolerance of sharp-tailed grouse to lek disturbance. Wildlife Society Bulletin 15:535–539.

Becker, G. C. 1983. Fishes of Wisconsin. The University of Wisconsin Press, Madison, WI.

Behnke, R. J. 1992. Native trout of western North America. American Fisheries Society Monograph 6. Bethesda, MD.

Bent, A. C. 1939. Life histories of North American woodpeckers. U.S. National Museum Bulletin 174. Washington D.C.

Bergersen, E. P. and D. E. Anderson. 1997. The distribution and spread of *Myxobolus cerebralis* in the United States. Fisheries 22(8):6–7.

Berkey, G., R. Crawford, S. Galipeau, D. Johnson, D. Lambeth, and R. Kreil. 1993. A review of wildlife management practices in North Dakota: effects on nongame bird populations and habitats. Report submitted to USFWS Region 6. U.S. Fish and Wildlife Service, Denver, CO. 51 pp.

Bicknell, William. 2001. USFWS Federal Registry. Notice of 12-month petition finding to list the sicklefin chub (*Macrhybopsis meeki*) and the sturgeon chub (*Macrhybopsis gelida*) as endangered. 3425 Miriam Avenue, Bismarck, ND 58501. 10 pp.

Bissell, G. 2005. Third Annual Common Loon Report (draft). Unpublished report. March 2005. Montana Fish, Wildlife & Parks, Region One, 490 North Meridian Road, Kalispell, MT 59901.

Bissell, G. 2005. Personal communication.

Bissell, G. and C. A. Yde. 1985. Wildlife and wildlife habitat mitigation plan for Hungry Horse hydroelectric project. Final report. Montana Fish, Wildlife & Parks.

Bissell, G. and C. A. Yde. 1985. Wildlife and wildlife habitat mitigation plan for the Noxon Rapids and Cabinet Gorge hydroelectric project. Montana Fish, Wildlife & Parks.

Black, J. H. 1969. The frog genus *Rana* in Montana. Northwest Science 43:191–195.

Bock, C. E., and J. H. Bock. 1974. On the geographical ecology and evolution of the three-toed woodpeckers (*Picoides tridactylus* and *P. arcticus*). American Midland Naturalist 92(2):397–405.

Bond, C. E. 1992. Notes on the nomenclature and distribution of the bull trout and the effects of human activity on the species. Pp. 1–4 in P. J. Howell and D. V. Buchanan, eds. Proceedings of the Gearhart Mountain bull trout workshop. Oregon Chapter of the American Fisheries Society, Corvallis, OR.

Bonham, C. D., and A. Lerwick. 1976. Vegetation changes induced by prairie dogs on short-grass range. Journal of Range Management 29:221–25.

Boundy, J. 2001. Herpetofaunal surveys in the Clark Fork Valley region, Montana. Herpetological Natural History 8:15–26.

Bownan, C. W. 1904. Nelson's sharp-tailed sparrow in North Dakota. Auk 21:385–386.

Boyer, L. F., R. A. Cooper, D. T. Long, and T. M. Askew. 1989. Burbot (*Lota lota*) biogenic sedimentary structure in Lake Superior. Journal of Great Lakes Research 15:174–185.

Bramblett, R. G. 1996. Habitats and movements of pallid and shovelnose sturgeon in the Yellowstone and Missouri rivers, Montana and North Dakota. Ph.D. dissertation. Montana State University, Bozeman, MT. 210 pp.

Braun, C. E. 1999b. Conservation plans. Presentation given to the Western Greater Sage-Grouse Status Conference, January 14–15, 1999, Boise, Idaho. Online. Available: <http://www.rangenet.org/projects/grouse.html>.

- Brodie, E. D., Jr., and R. M. Storm. 1970. *Plethodon vandykei*. Cat. Am. Amph. Rep. 91.1–91.2.
- Brown, C. 1976. Fishes of Montana. Big Sky Books, Montana State University, Bozeman, MT.
- Brown, D. L., T. Musshel, and J. Gaffney. 1977. A strategic plan for the protection, perpetuation, and recreational use of the fish and wildlife resources in Montana.
- Brown, G. P., and R. J. Brooks. 1994. Characteristics of and fidelity to hibernacula in a northern population of snapping turtles (*Chelydra serpentine*). Copeia 1994:222–226.
- Brown, R. S., and W. C. Mackay. 1995. Fall and Winter Movements of and Habitat Use by Cutthroat Trout in the Ram River, Alberta. Transactions of the American Fisheries Society 124:873–885.
- Brown, S., C. Hickey, B. Harrington, and R. Gill, eds. 2001. The U.S. Shorebird Conservation Plan, 2nd ed. Manomet Center for Conservation Sciences, Manomet, MA.
- Brunson, R. B. 1952. Recent collections of *Bufo boreas* from western Montana. Proceedings of the Montana Academy of Sciences 11:17–19.
- Brunson, R. B., and H. A. Demaree. 1951. The herpetology of the Mission Mountains, Montana. Copeia 1951:306–308.
- Bull, E. L., A. L. Wright, and M. G. Henjum. 1990. Nesting habitat of flammulated owls in Oregon. Journal of Raptor Research 24:52–55.
- Bull, E. L., and R. G. Anderson. 1978. Notes on flammulated owls in northeastern Oregon. Murrelet 59:26–28.
- Bureau of Land Management, Big Dry Resource Area. 1993. Draft—Resource management plan and environmental impact statement for the Big Dry Resource Area, Miles City District. United States Department of the Interior.
- Bureau of Land Management. 1991. Rangeland program summary update: Missouri Breaks grazing EIS, prairie potholes grazing EIS, Headwaters resource management plan (Great Falls Resource Area portion). 102 pp.
- Bureau of Land Management. 1979. Habitat management plan for prairie dog ecotypes. USDI, BLM, Montana State Office. Wildlife Habitat Area MT-02-06-07-S1. 61 pp.

Bureau of Reclamation. 1993. Canyon Ferry Reservoir noxious weed management plan.

Burger, J., and M. Gochfeld. 1990. Nest site selection in least terns (*Sterna antillarum*) in New Jersey and New York. *Colonial Waterbirds* 13:31–40.

Byorth, P. A. 1993. Big Hole River arctic grayling recovery project: annual monitoring report 1992. Submitted to: Fluvial Arctic Grayling Workgroup. Montana Department of Fish, Wildlife & Parks, Bozeman, MT.

Cahn, A. R. 1936. Observations on the breeding of the lawyer (*Lota lota maculosa*). *Copeia* 1936:163–165.

Caire, W., et al. 1989. Mammals of Oklahoma. University of Oklahoma Press, Norman, OK. 567 pp.

Campbell, R. W., N. K. Dawe, I. McTaggart-Cowan, J. M. Cooper, G. W. Kaiser, and M. C. McNall. 1990. The birds of British Columbia, Vols. 1 and 2: non-passerines. Royal British Columbia Museum, Victoria, B.C. 518 and 636 pp.

Campbell, T. M., III. 1989. Prairie dog colony location surveys and black-footed ferret searches in Montana. Pp. 1–12 in the prairie dog ecotype: managing for biological diversity. Montana BLM Wildlife Technical Bulletin No. 2. 55 pp.

Cannon, R. W., and F. L. Knopf. 1981. Lek numbers as a trend index to prairie grouse populations. *Journal of Wildlife Management* 45:776–778.

Carlander, K. D. 1997. Handbook of freshwater fishery biology, Vol. 3: life history data on ichthyopercid and percid fishes of the United States and Canada. Iowa State University Press, Ames, IA.

Carlsen, Tom, and Rick Northrup. 1992. Canyon Ferry Wildlife Management Area Final Draft Management Plan.

Carnefix, G. 2002. Movement patterns of fluvial bull trout in relation to habitat parameters in the Rock Creek drainage, Missoula and Granite counties, Montana. M.S. thesis, University of Montana, Missoula, MT. 185 pp.

Carter, M. F., and K. Barker. 1993. An interactive database for setting conservation priorities for western neotropical migrants. U.S. Forest Service General Technical Report RM-229:120–144.

Casey, D. 2000. Partners in Flight Bird Conservation Plan Montana Version 1.0. Montana Partners in Flight. Kalispell, MT.

Casey, D., and P. Malta. 1990. Long-term habitat management plan for elk and mule deer winter range enhancement on Firefighter Mountain and Spotted Bear winter ranges.

Cassirer, E. F., J. D. Reichel, R. L. Wallen, and E. C. Atkinson. 1996. Harlequin duck (*Histrionicus histrionicus*) conservation assessment and strategy for the U.S. Rocky Mountains. Unpublished technical report. Idaho Department of Fish and Game, Lewiston, ID.

Cassirer, E. F., C. R. Groves, and D. L. Genter. 1994. Coeur d' Alene salamander conservation assessment. U.S.D.A. Forest Service, Region 1, Missoula, MT. 55 pp.

Cassirer, E. F., A. Breault, P. Clarkson, D. L. Genter, R. I. Goudie, B. Hunt, S. C. Latta, G. H. Mittelhauser, M. M. Schirato, and R. L. Wallen. 1993. Status of harlequin ducks in North America. Report on Harlequin Duck Working Group.

Cassirer, E. F., C. R. Groves, and D. L. Genter. 1993. Sensitive species management guide for the Coeur d' Alene salamander. Idaho Department of Fish and Game, Boise, ID, and the Montana Natural Heritage Program, Helena, MT.

Cassirer, E. F., G. Schirato, F. Sharpe, C. R. Groves, and R. N. Anderson. 1993. Cavity nesting by harlequin ducks in the Pacific Northwest. Wilson Bull 105:691–694.

Cassirer, E. F., and C. R. Groves. 1991. Harlequin duck ecology in Idaho, 1987–1990. Idaho Department of Fish and Game and U.S. Fish and Wildlife Service.

Caton, E. M. 1996. Cavity nesting birds in a post-fire habitat in northwestern Montana. Ph.D. dissertation, University of Montana, Missoula, MT.

Chadde, S. W., J. S. Shelly, R. J. Bursik, R. K. Moseley, A. G. Evenden, M. Mantas, F. Rabe, and B. Heidel. 1998. Peatlands on National Forests of the Northern Rockies.

Chamberlin, T. W., R. D. Harr, and F. H. Everest. 1991. Timber harvesting, silviculture, and watershed processes. Pp. 181–206 in W. R. Meehan, ed. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19, Bethesda, MD.

Christie, D. A., and A. M. van Woudenberg. 1997. Modeling critical habitat for flammulated owls (*Otus flammeolus*). Pp. 97–106 in J. R. Duncan, D. H. Johnson, and T. H. Nicholls, eds. Biology and conservation of owls in the Northern Hemisphere. U.S.D.A. Forest Service.

Christopherson, D., R. Stoneberg, R. Matchett, D. Biggins, J. Grensten, A. Dood, and B. Haglan. 1994. Black-footed ferret reintroduction in Montana: project description and 1994 protocol. 31 pp. + appendix.

Christopherson, D. M., D. M. Prellwitz, and M.J. Rabenberg. 1992. Status of piping plovers and least terns in Montana.

Christy, R. E., and S. D. West. 1993. Biology of bats in Douglas-fir forests. General Technical Report PNW-GTR-308. U.S.D.A. Forest Service, Pacific Northwest Research Station, Portland, OR.

Clancy, C. G. 1988. Effects of dewatering on spawning by Yellowstone cutthroat trout in tributaries to the Yellowstone River, Montana. American Fisheries Society Symposium 4:37–41.

Clark, R. A. 1992. Influence of stream flows and stock size on recruitment of arctic grayling (*Thymallus arcticus*) in the Chena River, Alaska. Canadian Journal of Fisheries and Aquatic Sciences 49(5):1027–1034.

Clough, G. C., and J. J. Albright. 1987. Occurrence of the northern bog lemming (*Synaptomys borealis*) in the northeastern United States. Canadian Field-Naturalist 101:611–613.

Collette, B. B. and 7 co-authors. 1977. Biology of the percids. Journal of the Fisheries Research Board of Canada 34:1890–1899.

Confederated Salish and Kootenai Tribes and Montana Fish, Wildlife & Parks. 2003. Flathead Subbasin Plan Assessment: Executive Summary. Northwest Power and Conservation Council. Portland, OR.

Congdon, J. D., et al. 1987. Reproduction and nesting ecology of snapping turtles (*Chelydra serpentina*) in southeastern Michigan. Herpetologica 43:39–54.

Connelly, J. 2001. Field assessment. Greater sage-grouse habitats and populations—Big Sheep Creek Basin, Montana. Unpublished report on file. Beaverhead-Deerlodge National Forest, Dillon, MT.

Connelly, J. W., M. A. Schroeder, A. R. Sands, and C. E. Braun. 2000b. Guidelines to manage greater sage-grouse populations and their habitats. Wildlife Society Bulletin 28:967–985.

Conservation Management of America's Public Lands: An Assessment and Recommendations for Progress 25 Years after FLPMA. 2001. National Wildlife Federation and the Natural Resources Defense Council.

Conservation Plan for Black-tailed and White-tailed Prairie Dogs in Montana (Montana Prairie Dog Working Group 2002).

Cooperative Conservation Agreement for Yellowstone Cutthroat Trout within Montana between Crow Tribe, Montana Department of Fish, Wildlife & Parks (FWP), Montana Department of Environmental Quality (DEQ), Montana Department of Natural Resources and Conservation (DNRC), U.S.D.A. Forest Service—Northern Region, Gallatin and Custer National Forests, USDI Bureau of Land Management—Montana (BLM), USDI Fish and Wildlife Service (FWS), USDI Bureau of Indian Affairs (BIA), Yellowstone National Park. 2000. Montana Department of Fish, Wildlife & Parks.

Cope, E. D. 1879. A contribution to the zoology of Montana. *American Naturalist* 13(7):432–441.

Corsi, C. 1988. The life history and status of the Yellowstone cutthroat trout (*Salmo clarki bouvieri*) in the Willow Creek drainage, Idaho. Master's thesis, Idaho State University, Pocatello, ID.

Craighead, J. J., J. Sumner, and G. Scaggs. 1982. A definitive system for analysis of grizzly bear habitat and other wilderness resources. *Wildlife-Wildlands Institute Monograph 1*. University of Montana, Missoula, MT. 279 pp.

Crance, J. H. 1987. Preliminary habitat suitability curves for sauger. *Proceedings of the Annual Conference of Southeast Association Fish and Wildlife Agencies* 41:159–167.

Cross, F. 1967. *Handbook of fishes of Kansas*. Museum of Natural History, University of Kansas, Lawrence, KS.

Cummins, K. S., A. C. Buchanan, and L. M. Koch, eds. The conservation and management of freshwater mussels II: initiatives for the future. Upper Mississippi River Conservation Committee, Rock Island, IL.

Dalsted, K. J., et al. 1981. Application of remote sensing to prairie dog management. *Journal of Range Management* 34:218–23.

Davis, W. B. 1937. Some mammals from western Montana and eastern Idaho. *Murrelet* 18:22–27.

Dechant, J. A., M. L. Sondreal, D. H. Johnson, L. D. Igl, C. M. Goldade, P. A. Rabie, and B. R. Euliss. 2000. Effects of management practices on grassland birds: long-billed curlew. Northern Prairie Wildlife Research Center, Jamestown, ND. Jamestown, ND: Northern Prairie Wildlife Research Center Home Page. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/fplbcu/fplbcu.htm> (Version 29FEB2000).

Deeble, B. D. 1996. Conservation of Columbian sharp-tailed grouse, with special emphasis on the upper Blackfoot Valley, Montana. Unpublished M.S. thesis, University of Montana, Missoula, MT.

Diamond, S., and P. Finnegan. 1993. Harlequin duck ecology on Montana's Rocky Mountain Front. Unpublished report. Rocky Mountain District, Lewis and Clark National Forest, Choteau, MT. 45 pp.

Dickerman, R. W., and J. P. Hubbard. 1994. An extinct subspecies of sharp-tailed grouse from New Mexico. *Western Birds* 25:128–136.

Dieterman, D. J., and D. L. Galat. 2004. Large-scale factors associated with sicklefin chub distribution in the Missouri and Lower Yellowstone rivers. *Transactions of the American Fisheries Society* 133:577–587.

Digital Atlas of Idaho. <http://imnh.isu.edu/digitalatlas> (accessed June 5, 2004).

Dinsmore, Stephen J. 2001. Population Biology of Mountain Plovers in Southern Valley County, Montana. Dissertation, Colorado State University. 109 pp.

Dixon, R. D., and V. A. Saab. 2000. Black-backed woodpecker (*Picoides arcticus*). In *The Birds of North America*, No. 509, A. Poole and F. Gill, eds. The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, DC. The Birds of North America Inc., Philadelphia, PA.

Dolan, P. M. 1994. The common loon (*Gavia immer*) in the northern region: biology and management recommendations. Unpublished report. U.S.D.A. Forest Service, Region 1. 76 pp.

Donald, D. B., and J. D. Stelfox. 1997. Effects of fisheries enhancement and access on adfluvial bull trout populations in mountain lakes of southern Alberta. Pp. 227–234 in W. C. Mackay, M. K. Brewin, and M. Monita, eds. Friends of the bull trout conference proceedings. Bull Trout Task Force (Alberta), c/o Trout Unlimited Canada, Calgary.

Dood, A. R., R. D. Brannon, and R. D. Mace. 1986. Final Programmatic Environmental Impact Statement, the Grizzly Bear in Northwestern Montana. Montana Department of Fish, Wildlife & Parks.

Dood, A. R. 1980. Terry badlands nongame survey and inventory: final report. (BLM Contract #YA-512-CT8-217.) Montana Department of Fish, Wildlife & Parks. 70 pp.

- Dryer, M. P., and A. J. Sandvol. 1993. Recovery plan for the pallid sturgeon (*Scaphirhynchus albus*). U.S. Fish and Wildlife Service. Bismarck, ND. 55 pp.
- Dufek, D., K. Johnson, J. Kiefling, B. McDowell, R. McKnight, S. Roth, and S. Yekel. 1999. Status and management of Yellowstone cutthroat trout (*Oncorhynchus clarki bouvieri*). Wyoming Game and Fish Department, Cheyenne, WY.
- Duke, S., P. Anders, G. Ennis, R. Hallock, J. Hammond, S. Ireland, J. Laufle, L. Lockard, B. Marotz, V. Paragamian, and R. Westerhof. 1999. Recovery plan for Kootenai River white sturgeon (*Acipenser transmontanus*). Journal of Applied Ichthyology (15):157–163.
- Dunham J. B., G. L. Vinyard, and B. E. Rieman. 1997. Habitat fragmentation and extinction risk of Lahontan cutthroat trout. North American Journal of Fisheries Management 17:1126–1133.
- Dunn, E. H., and D. J. Agro. 1995. Black tern (*Chlidonias niger*). In The Birds of North America, No. 147, A. Poole and F. Gill, eds. Philadelphia, PA: The Academy of Natural Sciences and Washington DC: The American Ornithologists' Union. 24 pp.
- Eddy, S., and J. C. Underhill. 1974. Northern fishes. University of Minnesota Press, Minneapolis, MN.
- Edsall, T. A., G. W. Kennedy, and W. H. Horns. 1993. Distribution, abundance, and resting microhabitat of burbot on Julian's Reef, southwestern Lake Michigan. Transactions of the American Fisheries Society 122:560–574.
- Elis, Janet H., and Jim Richard. A planning guide for protecting Montana's wetlands and riparian areas. Montana Watercourse, Montana Department of Environmental Quality, and Montana Audubon Society.
- Ellison, L. E., M. B. Wunder, C. A. Jones, C. Mosch, K. W. Navo, K. Peckham, J. E. Burghardt, J. Annear, R. West, J. Siemers, R. A. Adams, and E. Brekke. 2003. Colorado bat conservation plan. Colorado Committee of the Western Bat Working Group. Available at <http://www.wbwg.org/colorado/colorado.htm>.
- Elser, A. A., M. W. Gorges, and L. M. Morris. 1980. Distribution of fishes in southeastern Montana. Montana Department of Fish, Wildlife & Parks, Helena, MT.
- Engle, J. C., and C. E. Harris. 2001. Idaho species of special concern element state ranking reviews. Nongame and Endangered Wildlife Program. Conservation Data Center, Idaho Department of Fish and Game, Boise, ID.

Environment Canada. 1997. Sustaining Canada's Forests: Timber Harvesting. National Environmental Indicator Series, SOE Bulletin No. 95-4. Online. Available at <http://199.212.18.79/ind/English/Forest/Bulletin>.

Erickson, K., and D. M. Prellwitz. 1999. Piping plover surveys for Nelson Reservoir, Bowdoin NWR, and Hewitt Lake NWR.

Ernst, C. H., J. E. Lovich, and R. W. Barbour. 1994. Turtles of the United States and Canada. Smithsonian Institution Press, Washington, DC. 578 pp.

Escano, R., D. Flath, R. Hazelwood, and B. Klaver, eds., for Bureau of Land Management. 1986. Montana eagle management plan. Montana Bald Eagle Working Group, BLM, Montana State Office. 61 pp.

Everest, F. H., R. L. Beschta, J. C. Scrivener, K. V. Koski, J. R. Sedell, and C. J. Cederholm. 1987. Fine Sediment and Salmonid Production: A Paradox. In Streamside Management: Forestry and Fishery Interactions. University of Washington, Seattle, WA. Pp. 98–142, E. O. Salo and T. W. Cundy, tech. eds.

Evers, D. C. 2004. Status Assessment and Conservation Plan for the Common Loon (*Gavia immer*) in North America. David C. Evers, BioDiversity Research Institute, April 12, 2004. Available at http://alaska.fws.gov/mbsp/mbm/loons/pdf/Common_Loon_Status_Assessment.pdf

Fairman, L. M., and V. E. Miller. 1990. Results of 1990 surveys for harlequin ducks on the Kootenai and Lolo national forests, Montana. Unpublished report. Montana Natural Heritage Program, Helena, MT.

Fargione, Joseph, Cynthia S. Brown, and David Tilman. 2003. Community assembly and invasion: an experimental test of neutral versus niche processes. PNAS. Vol. 100 (15):8916–8920.

FaunaWest Wildlife Consultants. 1998. Status of the black- and white-tailed prairie dog in Montana. Montana Fish, Wildlife & Parks, Helena, MT. 34 pp.

FaunaWest Wildlife Consultants. 1991. Status and breeding distribution of the mountain plover in Montana. Report to USDI Bureau of Land Management. FaunaWest Wildlife Consultants, Boulder, MT. 44 pp.

Fenton, M. B., D. C. Tennant, and J. Wyszecki. 1987. Using echolocation calls to measure distribution of bats: the case of *Euderma maculatum*. Journal of Mammalogy 68:142–144.

Figg, D. E. 1993. Missouri Department of Conservation wildlife diversity report, July 1992–June 1993. 75 pp.

Findlay, C. S., D. G. Bert, and L. Zheng. 2000. Effect of introduced piscivores on native minnow communities in Adirondack lakes. Canadian Journal of Fisheries and Aquatic Sciences 57:570–580.

Fisher, F. B, J. C . Winne, M. M. Thornton, T. P. Tady, Z. M. M. Hart, and R. L. Redmond. 1998. Montana Land Cover Atlas. Unpublished report. Montana Cooperative Wildlife Research Unit, University of Montana, Missoula, MT. 50 pp + viii.

Flath, D. L. 1979. Status of the white-tailed prairie dog in Montana. Proceedings of the Montana Academy of Sciences 38:63–67.

Flathead Lake and River Co-Management Plan, 2001–2010. 2000. Montana Fish, Wildlife & Parks, Kalispell, MT, and Confederated Salish and Kootenai Tribes, Pablo, MT.

Flathead River Subbasin Executive Summary. 2004. A Summary of Flathead River Subbasin Assessment, Inventory, and Management Plan. Northwest Power and Conservation Council.

Flores, R., G. Stricker, J. Meyer, T. Doll, P. Norton, R. Livingston, and M. Jennings. 2001. A Field Conference on Impacts of Coal Bed Methane Development in the Powder River Basin, Wyoming. USGS Open File Report 01-126.

Foresman, K. R. 2001. The wild mammals of Montana. American Society of Mammalogists, Special Publication No. 12. 278 pp.

Fraley, J. J., and B. B. Shepard. 1989. Life history, ecology, and population status of migratory bull trout (*Salvelinus confluentus*) in the Flathead Lake and River system, Montana. Northwest Science 63:133–143.

Fraley, J., D. Read, and P. Graham. 1981. Flathead River fisheries study. Montana Department of Fish, Wildlife & Parks.

Frisina, Michael R., and John J. McCarthy. 2001. Montana Sagebrush Bibliography. Montana Fish, Wildlife & Parks. 69 pp.

Frissell, S. S. 1978. Nongame wildlife inventory. Prepared for: U.S. Department of the Interior, Bureau of Land Management, Dillon Resource Area, Dillon, MT. 194 pp.

Fuller, P. L., G. Nico, and J. D. Williams. 1999. Nonindigenous fishes introduced into inland waters of the United States. American Fisheries Society, Bethesda, MD.

- Furniss, M. J., T. D. Roelofs, and C. S. Yee. 1991. Road construction and maintenance. Pp. 297–324 in W. R. Meehan, ed. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19, Bethesda, MD.
- Gardner, W. M., and P. A. Stewart. 1997. The fishery of the lower Missouri River, Montana. Montana Department of Fish, Wildlife & Parks report, FW-2-R.
- Gardner, W. M., and R. Berg. 1982. An analysis of the instream flow requirements for selected fishes in the Wild and Scenic portion of the Missouri River. Montana Fish, Wildlife & Parks. Helena, MT. 111 pp.
- Gardner, W. M., and R. K. Berg. 1980. An analysis of the instream flow requirements for selected fishes in the Wild and Scenic portion of the Missouri River. Montana Fish, Wildlife & Parks report, Great Falls, MT.
- Genter, D. L. 1993. Harlequin duck status report 1992: Montana. Pp. 31–34 in E. F. Cassirer, A. Breault, P. Clarkson, D. L. Genter, R. I. Goudie, B. Hunt, S. C. Latta, G. H. Mittelhauser, M. M. Schirato, and R. L. Wallen, eds. Harlequin ducks in North America. Harlequin Duck Working Group.
- Gervais, J. A., and R. G. Anthony. 2003. Chronic organochlorine contaminants, environmental variability, and demographics of a burrowing owl population. *Ecological Applications* 13:1250–1262.
- Gibson, R. S. 1986. Environmental impact statement for the Helena National Forest, land and resource management plan. U.S.D.A. Forest Service.
- Giesen, K. M., and J. W. Connelly. 1993. Guidelines for management of sharp-tailed grouse habitats. *Wildlife Society Bulletin* 21:325–333.
- Gillies, K. E., and R. Dixon. 2004. Draft Idaho Bat Conservation Plan. Nongame and Endangered Wildlife Program technical report. Idaho Conservation Data Center, Idaho Department of Fish and Game, Boise, ID.
- Girard, C. 1856. Researches upon the cyprinoid fishes inhabiting the fresh waters of the United States, west of the Mississippi Valley, from specimens in the museum of the Smithsonian Institution. *Proceedings of the Academy of Natural Science of Philadelphia* 8:165–213.
- Gitzen, R. A., S. D. West, and J. A. Baumgardt. 2001. A record of the spotted bat (*Euderma maculatum*) from Crescent Bar, Washington. *Northwestern Naturalist* 82:28–30.

- Goetz, F. 1989. Biology of the bull trout (*Salvelinus confluentus*): a literature review. Willamette National Forest, Eugene, OR. 53 pp.
- Goggans, R. 1989. Black-backed woodpecker. Pp. 88–89 in T. W. Clark, A. H. Harvey, R. D. Dorn, D. L. Genter, and C. Groves, eds. Rare, sensitive, and threatened species of the Greater Yellowstone Ecotype. Northern Rockies Conservation Cooperative.
- Goggans, R. 1986. Habitat use by flammulated owls in northeastern Oregon. Master's thesis, Oregon State University, Corvallis, OR.
- Gorman, J. D. 1984. Interagency Rocky Mountain Front Wildlife Monitoring & Evaluation Program.
- Gould, W. 1994. The recent distribution of sturgeon chub (*Macrohybopsis gelida*) in Montana. Report to the Montana Department of Fish, Wildlife & Parks. Helena, MT.
- Gould, W. R. 1981. First records of the rainbow smelt (*Osmeridae*), sicklefin chub (*Cyprinidae*) and white bass (*Percichthyidae*). Proceedings of the Montana Academy of Sciences 40:9–10.
- Gould, W. R. 1969. First record of the trout-perch (*Percopsis omiscomaycus*) from Montana. Proceedings of the Montana Academy of Sciences 29:51.
- Gould, W. R., and C. J. D. Brown. 1968. Fishes of the genus *Semotilus* (*Cyprinidae*) from Montana. Copeia 1968:628–629.
- Green, J. S., and J. T. Flinders. 1980. Habitat and dietary relationships of the pygmy rabbit. Journal of Range Management 33(2):136–142.
- Greenlaw, J. S. 1993. Behavioral and morphological diversification in sharp-tailed sparrows (*Ammadramus caudacutus*) of the Atlantic coast. Auk 110:286–303.
- Grensten, John. 2004. Personal communication with Stephen Dinsmore.
- Gresswell, R. E. 1995. Yellowstone cutthroat trout. Pp. 36–54 in M. K. Young, tech. ed. Conservation assessment for inland cutthroat trout. U.S.D.A. Forest Service General Technical Report RM-GTR-256.
- Gresswell, R. E., W. J. Liss, and G. L. Larson. 1994. Life history organization of Yellowstone cutthroat trout (*Oncorhynchus clarki bouvieri*) in Yellowstone Lake. Canadian Journal of Fisheries and Aquatic Sciences 51 (Supplement 1): 298–309.

- Grisak, G. G. 1996. The status and distribution of the sicklefin chub in the middle Missouri River, Montana. Master's thesis, Montana State University, Bozeman, MT.
- Grover, P. B., and F. L. Knopf. 1982. Habitat requirements and breeding success of charadriiform birds nesting at Salt Plains National Wildlife Refuge, Oklahoma. *Journal of Field Ornithology* 53:139–148.
- Groves, C., T. Frederick, G. Frederick, E. Atkinson, M. Atkinson, J. Shepard, and G. Servheen. 1997. Density, distribution, and habitat of flammulated owls in Oregon. *Great Basin Naturalist* 57:116–123.
- Groves, C. R., E. F. Cassirer, D. L. Genter, and J. D. Reichel. 1996. Coeur d' Alene salamander (*Plethodon idahoensis*). *Natural Areas Journal* 16(3):238–47.
- Groves, C. R. 1994. Effects of Timber Harvest on Small Mammals and Amphibians in Old-Growth Coniferous Forests on the Priest Lake Ranger District. Unpublished report to the Priest Lake Ranger District, Idaho Panhandle National Forest. The Nature Conservancy, Boulder, CO.
- Groves, C. R., and C. Peterson. 1992. Distribution and population trends of Idaho amphibians as determined by mail questionnaire. Conservation Data Center, Idaho Department of Fish and Game, Boise, ID.
- Groves, C. 1988, 1989. Status and distribution of the Coeur d' Alene salamander (*Plethodon vandykei idahoensis*) in Idaho, part II. Unpublished report. Idaho Department of Fish and Game, Boise, ID.
- Gurevitch, J., P. S. Curtis, and M. H. Jones. 2001. Meta-analysis in ecology. *Advances in Ecological Research* 32:200–241.
- Gustafson, D. L. 1996. <http://www.esg.montana.edu/dlg/aim/mollusca/marfal.html>
- Haig, S., et al. 1994. Revised recovery plan for piping plovers (*Charadrius melanotos*) breeding on the Great Lakes and northern Great Plains (technical/agency review draft). Great Lakes/Northern Great Plains Piping Plover Recovery Team. 121 pp.
- Haig, S. M. 1992. Distribution and status of piping plovers in winter. Abstract, p. 69. 6th Annual Meeting of the Society for Conservation Biology.
- Haig, S., et al. 1988. Recovery plan for piping plovers (*Charadrius melanotos*) of the Great Lakes and northern Great Plains. U.S. Fish and Wildlife Service. 160 pp.

- Hall, E. R. 1981. The Mammals of North America, Vols. I and II. John Wiley & Sons, New York, NY.
- Hammerson, G. A. 1999. Amphibians and reptiles in Colorado. 2nd ed. University Press of Colorado, Boulder, CO. 484 pp + xxvi.
- Handley, C. O., Jr. 1959. A revision of American bats of the genera *Euderma* and *Plecotus*. Proc. U.S. Natl. Mus. 110:95–246.
- Hansen, A., J. Rotella, L. Klass, and D. Gyskiewicz. 2003. Riparian habitat Dynamics and Wildlife Along the Upper Yellowstone River. Technical Report #1. Landscape Biodiversity Lab, Montana State University, Bozeman, MT. In cooperation with the Governor's Upper Yellowstone River Task Force.
- Hansen, Paul L., S. W. Chadde, and R. D. Pfister. 1988. Riparian Dominance Types of Montana. Miscellaneous Publication No. 49. Montana Forest and Conservation Experiment Station. School of Forestry, University of Montana, Missoula, MT.
- Harlequin Duck Working Group. 1993. Status of harlequin ducks (*Histrionicus histrionicus*) in North America. Report of the Harlequin Duck Working Group.
- Harris, M. A. 1982. Habitat use among woodpeckers in forest burns. M.S. thesis, University of Montana, Missoula, MT. 62 pp.
- Hart, M. M., W. A. Williams, P. C. Thornton, K. P. McLaughlin, C. M. Tobalske, B. A. Maxell, D. P. Hendricks, C. R. Peterson, and R. L. Redmond. 1998. Long-billed curlew (*Numenius americanus*) in Montana atlas of terrestrial vertebrates. Unpublished report, pp. 269–271. Montana Cooperative Wildlife Research Unit, University of Montana, Missoula, MT.
- Haug, E. A., B. A. Millsap, and M. S. Martell. 1993. In Birds of North America, No. 61, A. Poole and F. Gill, eds. The Academy of Natural Science, Philadelphia, PA, and The American Ornithologists' Union, Washington, DC.
- Hawk Watch International. 2003. An online search for migration watch results, 1999–2002 data. <http://www.hawkwatch.org/> (accessed 11 September 2003).
- Hayward, G. D., and J. Verner. 1994. Flammulated, boreal, and great gray owls in the United States. General Technical Report RM-253, U.S.D.A. Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- Heady, L. T., K. I. Gabler, and J. W. Laundre. 2001. Habitat selection by pygmy rabbits in southeast Idaho. Technical Bulletin No. 01-7. Idaho Bureau of Land Management.

- Hejl, S. J., R. L. Hutto, C. R. Preston, and D. M. Finch. 1995. Effects of silvicultural treatments in the Rocky Mountains. Pp. 220–244 in T. E. Martin and D. M. Finch, eds. *Ecology and management of neotropical migratory birds*. Oxford University Press.
- Hendricks, P., and M. Roedel. 2002. Preble's Shrew and Great Basin Pocket Mouse from the Centennial Valley Sandhills of Montana. *Northwestern Naturalist* 83:31–34.
- Hendricks, P., and D. Kampwerth. 2001. Roost environments for bats using abandoned mines in southwestern Montana: a preliminary assessment. Report to the U.S. Bureau of Land Management. Montana Natural Heritage Program, Helena, MT. 19 pp.
- Hendricks, P., and J. C. Carlson. 2001. Bat use of abandoned mines in the Pryor Mountains. Report to the Montana Department of Environmental Quality, Mine Waste Cleanup Bureau. Montana Natural Heritage Program, Helena, MT. 8 pp.
- Hendricks, P., and M. Roedel. 2001. A faunal survey of the Centennial Valley sandhills, Beaverhead County, Montana. Report to the U.S. Bureau of Land Management and U.S. Fish and Wildlife Service. Montana Natural Heritage Program, Helena, MT.
- Hendricks, P., D. L. Genter, and S. Martinez. 2000. Bats of Azure Cave and the Little Rocky Mountains, Montana. *Canadian Field-Naturalist* 114:89–97.
- Hendricks, P. 1999. Amphibian and reptile survey of the Bureau of Land Management, Miles City District, Montana. Montana Natural Heritage Program, Helena, MT. 80 pp.
- Hendricks, P. 1999. Amphibian and reptile surveys on Montana refuges: 1998–1999. December 1999.
- Hendricks, P. 1999. Effect of gate installation on continued use by bats of four abandoned mine workings in western Montana. Unpublished report to Montana Department of Environmental Quality. Montana Natural Heritage Program, Helena, MT. 13 pp.
- Hendricks, P., and J. D. Reichel. 1996. Preliminary amphibian and reptile survey of the Ashland District, Custer National Forest: 1995. Montana Natural Heritage Program. Helena, MT. 79 pp.
- Hendricks, P., K. A. Jurist, D. L. Genter, and J. D. Reichel. 1996. Bats of the Kootenai National Forest, Montana. Unpublished report. Montana Natural Heritage Program, Helena, MT. 99 pp.

- Hensler, M. E., and C. C. Muhlfeld. 1999. Spawning ecology of redband trout in Basin Creek, Montana. A report to the Whirling Disease Foundation. Montana Fish, Wildlife & Parks, Bozeman, MT.
- Hensler, M. E., J. E. Huston, and G. K. Sage. 1996. A Genetic Survey of Lakes in the Cabinet Wilderness Area and Proposed Inland Rainbow Trout Recovery. Montana Fish, Wildlife & Parks, Kalispell, MT.
- Hermanson, J. W., and T. J. O'Shea. 1983. *Antrozous pallidus*. Mammalian Species Account 213:1–8.
- Hesse, L. W. 1994. The status of Nebraska fishes in the Missouri River. 6. Sauger (Percidae: *Stizostedion canadense*). Transactions of the Nebraska Academy of Sciences 21:109–121.
- Hickman, G. R., B. G. Dixon, and J. Corn. 1999. Small mammals. Pp. 4.1–4.16 in the effects of recreation on Rocky Mountain wildlife: a review for Montana.
- Hiebert, S. D., R. Wydoski, and T. J. Parks. 1999. Fish entrainment at the lower Yellowstone Diversion Dam, Intake Canal, Montana, 1996–1998. Technical Service Center Data Report. Bureau of Reclamation. In press. 52 pp.
- Hill, N. P. 1968. Nelson's sharp-tailed sparrow. Pp. 815–819 in O. L. Austin, Jr., ed. Life histories of North American cardinals, grosbeaks, buntings, towhees, finches, sparrows, and allies. Dover Publications Inc., New York, NY.
- Hillman, C. N., R. L. Linder, and R. B. Dahlgren. 1979. Prairie dog (*Cynomys ludovicianus*) distribution in areas inhabited by black-footed ferrets (*Mustela nigripes*). American Midland Naturalist 102:185–7.
- Hinman, K. E., and T. K. Snow, eds. 2003. Arizona Bat Conservation Strategic Plan. Version 1.0. Nongame and Endangered Wildlife Program Technical Report (in progress). Arizona Game and Fish Department, Phoenix, AZ
- Hoffman, N. J. 1997. Distribution of *Picoides* woodpeckers in relation to habitat disturbance within the Yellowstone area. M.S. thesis, Montana State University, Bozeman, MT. 74 pp.
- Hoffmann, R. S., D. L. Pattie, and J. F. Bell. 1969. The distribution of some mammals in Montana. II. Bats. Journal of Mammalogy 50(4):737–741.
- Holt, D. W., and J. M. Hillis. 1987. Current status and habitat associations of forest owls in western Montana. Pp. 281–288 in biology and conservation of northern forest owls: symposium proceedings, February 3–7, Winnipeg, Manitoba. General Technical Report RM-142.

- Holton, G. D., and H. E. Johnson. 2003. A field guide to Montana fishes, 3rd ed. Montana Fish, Wildlife & Parks, Helena, MT.
- Holton, G. D., and H. E. Johnson. 1996. A field guide to Montana fishes. Montana Fish, Wildlife & Parks, Helena, MT.
- Holton, G. D. 1981. Identification of Montana's most common game and sport fishes. Montana Outdoors reprint.
- Holton, G. 1980. The riddle of existence; fishes of special concern. Montana Outdoors 11:2–6.
- Hornaday, W. T. 1913. Our vanishing wildlife: its extermination and preservation. New York Zoological Society, New York, NY.
- Howard, J. 1993. Genetic variation and population divergence in the *Plethodon vandykei* species group. *Herpetologica* 49:238–247.
- Howie, R. R., and R. Ritcey. 1987. Distribution, habitat selection, and densities of flammulated owls in British Columbia. Pp. 249–254 in B87NER01.
- Hoyt, J. S., and S. J. Hannon. 2002. Habitat associations of black-backed and three-toed woodpeckers in the boreal forest of Alberta. *Canadian Journal of Forest Research*. 32:1881–1888.
- Huston, J. E. 1995. A Report on the Kootenai River Drainage Native Species Search. A report to the U.S. Fish and Wildlife Service. Montana Fish, Wildlife & Parks, Kalispell, MT.
- Hutto, R. L., and J. S. Young. 1999. Habitat relationships of land birds in the Northern Region, U.S.D.A. Forest Service. General Technical Report RMRS-GTR-32. U.S.D.A. Forest Service, Rocky Mountain Research Station, Ogden, UT.
- Hutto, R. L. 1995a. USFS Northern Region Songbird Monitoring Program: distribution and habitat relationships. U.S.D.A. Forest Service—Northern Region internal report, Missoula, MT.
- Hutto, R. L. 1995b. Composition of bird communities following stand-replacement fires in northern Rocky Mountain (U.S.A.) conifer forests. *Conservation Biology* 9:1041–1058.
- Idaho Fish and Game. http://fishandgame.idaho.gov/tech/CDC/county_spp_lists (accessed April 26, 2004).

Ireland, S. C. 2000. Kootenai River White Sturgeon Studies and Conservation Aquaculture. Annual progress report. Prepared for U.S. Department of Energy, Bonneville Power Administration. Contract No. 88 BI 93743; Project No. 88-64. Portland, OR.

J. Mammal. 50:579–604. NatureServe Explorer: an online encyclopedia of life. 2002. Version 1.6. Arlington, VA.

<http://www.natureserve.org/explorer>.<http://MNHP.nris.state.mt.us/animalguide/> (accessed March 20, 2003).

Jean, C., P. Hendricks, M. Jones, S. Cooper, and J. Carlson. 2002. Ecological communities on the Red Rock Lakes National Wildlife Refuge: inventory and review of aspen and wetland systems. Report to the Red Rock Lakes National Wildlife Refuge, MT.

Jaeger, M. E. 2004. An empirical assessment of factors precluding recovery of sauger in the lower Yellowstone River: movement, habitat use, exploitation, and entrainment. Master's thesis.

Jewett, S. G. 1931. Nesting of the Pacific harlequin duck in Oregon. Condor 33:255.

Johnsgard, P. A. 1986. Birds of the Rocky Mountains with particular reference to national parks in the northern Rocky Mountain region. Colorado Associated University Press, Boulder. 504 pp. + xi.

Johnson, Wayne. 2005. Observations of northern leopard frog in Kootenai National Forest. Personal communication.

Jones, J. K., Jr., D. M. Armstrong, R. S. Hoffmann, and C Jones. 1983. Mammals of the northern Great Plains. University of Nebraska Press, Lincoln, NE. 379 pp.

Jones, M. S., J. P. Goettl, and L. J. Livo. 1999. Western toad (*Bufo boreas*). Predation. Herpetological Review 30:91.

Jones, W. M. 2003. Kootenai National Forest Peatlands: Description and Effect of Forest Management. Report to the Kootenai National Forest, Montana. Montana Natural Heritage Program, Helena, MT.

Jones, Z. F., and C. E. Bock. 2002. Conservation of grassland birds in an urbanizing landscape: a historical perspective. Condor 104: 643–651.

Jones-Wuellner, Melissa R., and Christopher S. Guy. 2004. Status of burbot in Montana. Prepared for Montana Fish, Wildlife & Parks. Montana Cooperative Fisheries Research Unit, Montana State University, Bozeman, MT.

- Joslin, G. 1980. Mountain goat habitat management plan for the Cabinet Mountains, Montana. Montana Fish, Wildlife & Parks and Kootenai National Forest.
- Joslin, G., and H. Youmans, coordinators. 1999. Committee on Effects of Recreation on Wildlife. Montana Chapter of The Wildlife Society, Helena, MT.
- Kanda, N., R. F. Leary, and F. W. Allendorf. 1997. Population genetic structure of bull trout in the upper Flathead River drainage. Pp. 299–308 in W. C. Mackay, M. K. Brewin, and M. Monita, eds. Friends of the bull trout conference proceedings. Bull Trout Task Force (Alberta), c/o Trout Unlimited Canada, Calgary.
- Karl, J. 2000. Columbian sharp-tailed grouse (*Tympanuchus phasianellus columbianus*). Digital atlas of Idaho. <http://imnh.isu.edu/digitalatlas> (accessed May 25, 2004).
- Katzner, T. E., and K. L. Parker. 1997. Vegetative characteristics and size of home ranges used by pygmy rabbits (*Brachylagus idahoensis*) during winter. Journal of Mammalogy 78:1063–1072.
- Kaya, C. M. 1992a. Review of the decline and status of fluvial arctic grayling (*Thymallus arcticus*) in Montana. Proceedings of Montana Academy of Sciences 52:43–70.
- Kaya, C. M. 1992b. Restoration of fluvial arctic grayling to Montana streams: assessment of reintroduction potential of streams in the native range, the upper Missouri River drainage above Great Falls. Prepared for Montana Chapter of the American Fisheries Society and Montana Department of Fish, Wildlife & Parks, Bozeman, MT.
- Kaya, C. M. 1990. Status report on fluvial arctic grayling (*Thymallus arcticus*) in Montana. Biology Department, Montana State University, Bozeman, MT. Prepared for Montana Fish, Wildlife & Parks, Helena, MT.
- Keenlyne, K. D. 1989. A report on the pallid sturgeon. Unpublished report. U. S. Fish and Wildlife Service, Pierre, SD.
- Keiter, R. B. 1997. Greater Yellowstone's bison: unraveling of an early American wildlife conservation achievement. Journal of Wildlife Management 61:1–11.
- Kelly, L. M. 1992. The effects of human disturbance on common loon productivity in northwestern Montana. M.S. thesis, University of Montana, Missoula, MT. 65 pp.

- Kelsall, J. P., E. S. Telfar, and T. D. Wright. 1977. The effects of fire on the ecology of the boreal forest, with particular reference to the Canadian north: a review and selected bibliography. Canadian Wildlife Service, Occasional Paper No. 32. Ottawa, Canada.
- Kessler, W. B., and R. P. Bosch. 1982. Sharp-tailed grouse and range management practices in western rangelands, 1982. Pp. 133–136 in proceedings of wildlife-livestock relationships symposium, J. M. Peek and P. Dallce, eds. University of Idaho, Moscow, ID.
- Kincaid, M. L. 1993. A breeding plan to preserve the genetic variability of the Kootenai River white sturgeon. Contract No. DE-AI79-93BP02886. Bonneville Power Administration, Portland, OR.
- Kirby, V. C. 1980. An adaptive modification in the ribs of woodpeckers and piculets (*Picidae*). *Auk* 97:521–532.
- Kitano, S., K. Maekawa, S. Nakano, and K. D. Fausch. 1994. Spawning behavior of bull trout in the upper Flathead drainage, Montana, with special reference to hybridization with brook trout. *Transactions of the American Fisheries Society* 123:988–992.
- Klatt, L. E., and D. Hein. 1978. Vegetative differences among active and abandoned towns of black-tailed prairie dogs (*Cynomys ludovicianus*). *Journal of Range Management* 31:315–7.
- Klott, James H., and Frederick G. Lindzey. 1990. Brood habitats of sympatric sage grouse and Columbian sharp-tailed grouse in Wyoming. *Journal of Wildlife Management* 54(1):84–88.
- Klute, D. S., L. W. Ayers, M. T. Green, W. H. Howe, S. L. Jones, J. A. Shaffer, S. R. Sheffield, and T. S. Zimmerman. 2003. Status Assessment and Conservation Plan for the Western Burrowing Owl in the United States. U.S. Department of the Interior, Fish and Wildlife Service. Biological Technical Publication FWS/BTP-R6001-2003, Washington, DC.
- Knapton, R. W. 1979. Birds of the Gainsborough-Lyleton region. Saskatchewan Natural History Society Special Publication 10. 72 pp.
- Knopf, F. L. 1991. Status and conservation of mountain plovers: the evolving regional effort. Report of research activities. USFWS National Ecology Research Center, Fort Collins, CO. 9 pp.
- Knowles, C. J. 2002. Status of the white-tailed and Gunnison's prairie dog. Environmental Defense and National Wildlife Federation. FaunaWest Wildlife Consultants. Boulder, MT.

Knowles, C., and P. Knowles. 1997. Mountain Plover Numbers, Reproduction, and Habitat Use in Montana: A Summary of Six Survey Years. FaunaWest Wildlife Consultants. Prepared for the Montana Department of Fish, Wildlife & Parks, Great Falls, MT, and the Bureau of Land Management, Billings, MT. April 22, 1997.

Knowles, C., P. Knowles, M. Maj, and D. Hinckley. 1995. Mountain Plover Numbers, Reproduction, and Habitat Use in Three Areas of Montana. Prepared by FaunaWest Wildlife Consultants for the Bureau of Land Management, Billings, MT.

Knowles, C. J., and P. R. Knowles. 1993. Mountain plover numbers, reproduction, and habitat use in three areas of Montana. Unpublished report for the Bureau of Land Management, Billings, MT. 50 pp.

Knowles, C. J., and P. R. Knowles. 1984. Additional records of mountain plovers using prairie dog towns in Montana. *Prairie Naturalist* 16:183–186.

Knowles, C. J., C. J. Stoner, and S. P. Gieb. 1982. Selective use of black-tailed prairie dog towns by mountain plovers. *Condor* 84:71–74.

Knudsen, K., C. Muhlfeld, K. Sage, and R. Leary. In-prep. Genetic differences among populations of redband trout in the Kootenai River drainage, Montana. *Transactions of the American Fisheries Society*.

Koch, E. D., and C. R. Peterson. 1995. Amphibians and reptiles of Yellowstone and Grand Teton national parks. University of Utah Press, Salt Lake City, UT. 188 pp. + xviii.

Koehler, G. M., and J. D. Brittell. 1990. Managing spruce-fir habitat for lynx and snowshoe hares. *Journal of Forestry*, October 1990.

Koehler, G. M., M. G. Hornocker, and H. S. Hash. 1979. Lynx movements and habitat use in Montana. *Canadian Field-Naturalist* 93(4):441–442.

Koford, C. B. 1958. Prairie dogs, whitefaces, and blue grama. *Wildlife Monograph* 3:1–78.

Kootenai Tribe of Idaho and Montana Fish, Wildlife & Parks. 2004. Public Review Draft Kootenai Subbasin Plan. Executive Summary. Report prepared for the Northwest Power and Conservation Council. Portland, OR.

Korman, J., and C. J. Walters. 1999. Summary of the Kootenai River Adaptive Environmental Assessment modeling exercise. Prepared for the Kootenai Tribe of Idaho. Ecometric Research Inc., Vancouver, B.C., Canada.

- Kotliar, N. B., S. Heil, R. L. Hutto, V. A. Saab, C. P. Melcher, and M. E. McFadzen. 2002. Effects of fire and post-fire salvage logging on avian communities in conifer-dominated forests of the western United States. *Studies in Avian Biology* 25:49–64.
- Kovalak, W. P., S. D. Dennis, and J. M. Bates. 1986. Sampling effort required finding rare species of freshwater mussels. Pp. 34–45 in B. G. Isom, ed. *Rationale for sampling and interpretation of ecological data in the assessment of freshwater ecotypes*. American Society for Testing and Material, Special Technical Publication No. 894.
- Krapu, G. L., and R. K. Green. 1978. Breeding bird populations of selected semi-permanent wetlands in south-central North Dakota. *American Birds* 32:110–112.
- Krentz, Steven. 1997a. Stocking/augmentation plan for the pallid sturgeon (*Scaphirhynchus albus*) in Recovery Priority Management Areas 1 and 2 in Montana and North Dakota. U.S. Fish and Wildlife Service. Bismarck, ND. 38 pp.
- Kruse, C. G., W. A. Hubert, and F. J. Rahel. 2000. Status of Yellowstone cutthroat trout in Wyoming waters. *North American Journal of Fisheries Management* 20:693–705.
- Krutzsch, P. H. 1954. North American jumping mice (genus *Zapus*). University of Kansas Publications, Museum of Natural History 7:349–472.
- Kuchel, C. R. 1977. Some aspects of the behavior and ecology of harlequin ducks breeding in Glacier National Park, Montana. M.S. thesis, University of Montana, Missoula, MT. 160 pp.
- Kushlan, James A., Melanie J. Steinkamp, Katherine C. Parsons, Jack Capp, Martin Acosta Cruz, Malcolm Coulter, Ian Davidson, Loney Dickson, Naomi Edelson, Richard Elliot, R. Michael Erwin, Scott Hatch, Stephen Kress, Robert Milko, Steve Miller, Kyra Mills, Richard Paul, Roberto Phillips, Jorge E. Saliva, Bill Sydeman, John Trapp, Jennifer Wheeler, and Kent Wohl. 2002. *Waterbird Conservation for the Americas: The North American Waterbird Conservation Plan, Version 1*. Waterbird Conservation for the Americas, Washington, DC. 78 pp.
- Lampe, R. P., J. K. Jones Jr., R. S. Hoffman, and E. C. Birney. 1974. The mammals of Carter County, southeastern Montana. Occasional Paper. Museum of Natural History, University of Kansas 25:1–39.
- Leach, J. H., and 5 co-authors. 1977. Responses of percids and their habitats to eutrophication. *Journal of the Fisheries Research Board of Canada* 34:1964–1971.

- Leary, R. F., F. W. Allendorf, and N. Kanda. 1998. Lack of Genetic Divergence between Westslope Cutthroat Trout from the Columbia and Missouri River Drainages. Wild Trout and Salmon Genetics Laboratory Report 97/1. Missoula, MT.
- Leary, R. F., F. W. Allendorf, and S. H. Forbes. 1993. Conservation genetics of bull trout in the Columbia and Klamath River drainages. *Conservation Biology* 7:856–865.
- Leary, R. F. 1991. Establishment, maintenance, and use of a genetic reserve of Big Hole River arctic grayling. Wild Trout and Salmon Genetics Laboratory Report 91/5. University of Montana, Missoula, MT.
- Leary, R. F., F. W. Allendorf, and K. G. Sage. 1991. Genetic analysis of trout populations in the Yaak River drainage, Montana. Wild Trout and Salmon Genetics Laboratory Report 91/3. University of Montana, Missoula, MT.
- Leathe, S. A., and M. D. Enk. 1985. Cumulative effects of micro-hydro development on the fisheries of the Swan River drainage, Montana. Report prepared for Bonneville Power Administration, Division of Fish and Wildlife. 114 pp. + appendices.
- Lee, S., et al. 1980. *Atlas of North American freshwater fishes*. North Carolina State Museum of Natural History. Raleigh, NC.
- Lehmkuhl, J. F. 1984. Determining size and dispersion of minimum viable populations for land management planning and species conservation. *Environmental Management* 8(2):167–176.
- Lenard, S., J. Carlson, J. Ellis, C. Jones, and C. Tilly. 2003. P. D. Skaar's *Montana Bird Distribution*, 6th ed. Montana Audubon Society, Helena, MT. 144 pp + vi.
- Leonard, M. L., and M. B. Fenton. 1983. Habitat use by spotted bats (*Euderma maculatum*, Chiroptera: Vespertilionidae): roosting and foraging behavior. *Canadian Journal of Zoology* 61:1487–1491.
- Lesica. 2005. Restoring green ash regeneration from seed in declining hardwood draws. Unpublished report.
- Lewis, S. E. 1994. Night roosting ecology of pallid bats (*Antrozous pallidus*) in Oregon. *American Midland Naturalist* 132:219–226.
- Li, H. W., and P. B. Moyle. 1981. Ecological analysis of species introductions into aquatic systems. *Transactions of the American Fisheries Society* 110:772–782.

- Licht, D. S., and K. D. Sanchez. 1993. Association of black-tailed prairie dog colonies with cattle point attractants in the northern Great Plains. *Great Basin Naturalist* 53:385–389.
- Liebelt, J. E. 1996. Lower Missouri River and Yellowstone River pallid sturgeon study, 1994–1995. Montana Department of Fish, Wildlife & Parks. Helena, MT.
- Linkhart, B. D., and R. T. Reynolds. 1997. Territories of flammulated owls (*Otus flammeolus*): is occupancy a measure of habitat quality? Pp. 150–154. J. R. Duncan, D. H. Johnson, and T. H. Nicholls, eds. *Biology and conservation of owls in the Northern Hemisphere*.
- Linkhart, B. D. 1984. Range, activity, and habitat use by nesting flammulated owls in a Colorado ponderosa pine forest. Master's thesis, Colorado State University, Fort Collins, CO.
- Lohr, S. C., P. A. Byorth, C. M. Kaya, and W. P. Dwyer. 1996. High temperature tolerances of fluvial arctic grayling and comparisons with summer water temperatures of the Big Hole River, Montana. *Transactions of the American Fisheries Society* 125:933–939.
- Long, M. H. 1997. Sociological implications of bull trout management in northwest Montana: illegal harvest and game warden efforts to deter poaching. Pp. 71–73. W. C. Mackay, M. K. Brewin, and M. Monita, eds. *Friends of the bull trout conference proceedings*. Bull Trout Task Force (Alberta), c/o Trout Unlimited Canada, Calgary.
- Lowe, C. H. Jr. 1950. The systematic status of the salamander (*Plethodon hardii*) with a discussion of problems in *Aneides*. *Copeia* 1950:92–99.
- MacRae, P. S. D., and D. A. Jackson. 2000. The influence of smallmouth bass (*Micropterus dolomieu*) predation and habitat complexity on the structure of littoral zone fish assemblages. *Canadian Journal of Fisheries and Aquatic Sciences* 58:342–351.
- Magee, J. P. 2000. Montana fluvial arctic grayling recovery project: annual monitoring report.
- Magee, J. P., and P. A. Byorth. 1995. Competitive interactions of fluvial arctic grayling and sympatric species in the Big Hole River drainage, Montana. Submitted to Fluvial Arctic Grayling Workgroup. Montana Fish, Wildlife & Parks, Bozeman, MT.
- Magee, J. P., and P. A. Byorth. 1994. Competitive interactions of fluvial arctic grayling (*Thymallus arcticus*) and brook trout (*Salvelinus fontinalis*) in the upper

Big Hole River, Montana. Submitted to Fluvial Arctic Grayling Workgroup. Montana Fish, Wildlife & Parks, Bozeman, MT.

Marcuson, P. E. 1977. Overgrazed streambanks depress fishery production in Rock Creek, Montana, pp. 143–156. In: Proceedings of the workshop on livestock and wildlife-fisheries relationships in the Great Basin. University of California, Agricultural Station, Sci. Spec. Publ. 3301, Berkeley, CA.

Marks, Jeffrey S., and Victoria Saab Marks. 1988. Winter habitat use by Columbian sharp-tailed grouse in western Idaho. *Journal of Wildlife Management* 52(4):743–746.

Marnell, Leo. 2004. NPS, personal communication.

Marnell, L. F. 1997. Herpetofauna of Glacier National Park. *Northwest Naturalist* 78:17–33.

Marnell, L. F. 1985. Bull trout investigations in Glacier National Park, Montana. Pp. 33–35 in D. D. MacDonald, ed. *Proceedings of the Flathead River Basin bull trout biology and population dynamics modeling information exchange*. Fisheries Branch, British Columbia Ministry of Environment, Cranbrook, B.C.

Marti, C. 1997. Flammulated owls (*Otus flammeolus*) breeding in deciduous forests. Pp. 262–266 in J. R. Duncan, D. H. Johnson, and T. H. Nicholls, eds. *Biology and conservation of owls in the Northern Hemisphere*. U.S.D.A. Forest Service General Technical Report.

Matthews, W. L., and J. E. Swenson. 1982. The mammals of east-central Montana. *Proceedings of the Montana Academy of Sciences* 39:1–13.

Matthews, W. L. 1980. The meadow jumping mouse in southeastern Montana. *Prairie Naturalist* 12(2):63–64.

Maxell, B. A., G. Hokit, J. Miller, and K. Werner. 2004 (unpublished). Detection of *Batrachochytrium dendrobatidis*, the chytrid fungus associated with global amphibian declines, in Montana amphibians. Unpublished memo. University of Montana, Missoula, MT.

Maxell, B., K. Werner, P. Hendricks, and D. Flath. 2003. Herpetology in Montana: a history, status summary, checklists, dichotomous keys, accounts for native, potentially native, and exotic species, and indexed bibliography. Olympia, WA: Society for Northwestern Vertebrate Biology. *Northwest Fauna* 5:1–138.

Maxell, B. A., K. J. Nelson, and S. Browder. 2002. Record clutch size and observations on breeding and development of the western toad (*Bufo boreas*) in Montana. *Northwestern Naturalist* 83:27–30.

- Maxell, B. A. 2002. Geographic Distribution. *Plethodon idahoensis*. Herpetological Review 33(2):144.
- Maxell, B. A. 2002. Database file of herpetological observations from 2001.
- Maxell, B. A. 2000. Management of Montana's amphibians: a review of factors that may present a risk to population viability and accounts on the identification, distribution, taxonomy, habitat use, natural history, and the status and conservation of individual species. Contract No. 43-0343-0-0224. September 20, 2000.
- May, B. E., W. Urié, and B. B. Shepard. 2003. Montana Cooperative Fishery Research Unit. Range-wide status of Yellowstone cutthroat trout (*Oncorhynchus clarki bouvieri*): 2001.
- May, B. E. 1998. Yellowstone cutthroat trout: current status and conservation recommendations with the state of Montana. U.S.D.A. Forest Service, Gallatin National Forest, Bozeman, MT.
- May, B. E. 1996. Yellowstone cutthroat trout. Pp. 11–34 in D. Duff, ed. Conservation assessment for inland cutthroat trout: distribution, status and habitat management implications. U.S.D.A. Forest Service—Northern, Rocky Mountain, Intermountain, and Southwestern regions.
- MBTRT (Montana Bull Trout Restoration Team). 2000. Restoration plan for bull trout in the Clark Fork River basin and Kootenai River basin, Montana. Montana Department of Fish, Wildlife & Parks, Helena, MT. 116 pp.
- McCallum, D. A. 1994a. Flammulated owl (*Otus flammeolus*). In The Birds of North America, No. 93, A. Poole and F. Gill, eds. Philadelphia, PA: The Academy of Natural Sciences and Washington, DC: The American Ornithologists' Union. 24 pp.
- McCallum, D. A. 1994b. Review of technical knowledge: flammulated owls. Pp. 14–46 in G. D. Hayward and J. Verner, eds. Flammulated, boreal and great gray owls in the United States: a technical conservation assessment. U.S.D.A. Forest Service General Technical Report.
- McClelland, B. R., S. S. Frissell, W. C. Fischer, and C. H. Halvorson. 1979. Habitat management for hole-nesting birds in forests of western larch and Douglas-fir. Journal of Forestry 77:480–483.
- McGowan, T. A. 1970. Antelope management and BLM's wildlife habitat management planning system.

- McIntyre, J. D., and B. E. Rieman. 1995. Westslope Cutthroat Trout. Pp. 1–15 in Conservation Assessment for Inland Cutthroat Trout. M. K. Young, tech. ed. General Technical Report RM-256. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO.
- McIntyre, J. W., and J. F. Barr. 1997. Common loon (*Gavia immer*). In The Birds of North America., No. 313, A. Poole and F. Gill, eds. The Academy of Natural Sciences, Philadelphia, PA, and the American Ornithologists' Union, Washington, DC.
- McIver, J. D, and L. Starr. 2001. A literature review on the environmental effects of post fire. *Western Journal of Applied Forestry* 16:159–168.
- McMahon, T. E. 1999. Status of sauger in Montana. *Montana Fish, Wildlife & Parks report*, Helena, MT.
- McMahon, T. E., and W. M. Gardner. 2001. Status of sauger in Montana. *Intermountain Journal of Sciences* 7:1–21.
- McPhail, J. D., and V. L. Paragamian. 2000. Burbot biology and life history. Pp. 11–23 in V. L. Paragamian and D. W. Willis, eds. *Burbot: biology, ecology and management*. American Fisheries Society, Fisheries Management Section, Publication Number 1, Bethesda, MD.
- Mech, L. D. 1989. Wolf population survival in an area of high road density. *American Midland Naturalist* 121:387–389.
- Mech, L. D., et al. 1988. Wolf distribution and road density in Minnesota. *Wildlife Society Bulletin* 16:85–87.
- Meehan, W. R., and T. C. Bjornn. 1991. Salmonid distributions and life histories. Pp. 76–78 in influences of forest and rangeland management on salmonid fishes and their habitats, W. R. Meehan, ed. American Fisheries Society Special Publication 19, Bethesda, MD.
- Memorandum of Understanding and Conservation Agreement for Westslope Cutthroat Trout (*Onchorhynchus clarki lewisi*) in Montana. 1999. *Montana Fish, Wildlife & Parks*.
- Merriam, C. H. 1902. The prairie dog of the Great Plains. Pp. 257–270 in USDA Yearbook Agriculture for 1901. U.S. Government Printing Office, Washington, DC.
- Miller, B., R. P. Reading, and S. Forrest. 1996. *Prairie Night*. Smithsonian Institute Press. Washington DC. 320 pp.

- Miller, B., G. Ceballos, and R. Reading. 1994. The prairie dog and biotic diversity. *Conservation Biology* 8(3):677–681.
- Miller, J. D. 1978. Observations on the diet of *Rana pretiosa*, *Rana pipiens*, and *Bufo boreas* from western Montana. *Northwestern Science* 52:243–249.
- Mississippi and Central Flyway Councils. 1997. Subcommittee on the Interior Population of Trumpeter Swans. Mississippi and central flyway management plan for the interior population of trumpeter swan. Mississippi and Central Flyway Councils, c/o USFWS, Migratory Bird Coordinator, Twin Cities, MN.
- Mitchell, C. D. 1994. Trumpeter swan (*Cygnus buccinator*). In *The Birds of North America*, No. 105, A. Poole and F. Gill, eds. Philadelphia, PA: The Academy of Natural Sciences and Washington, DC: The American Ornithologists' Union.
- Molini, W. A., and G. K. Tsukamoto. 1979. Individual species management plans.
- Molini, W. A. 1976. Chukar Partridge, Species Management Plan. Montana Fish, Wildlife & Parks.
- Montagne, C., L. C. Munn, G. A. Nielsen, J. W. Rogers, and H. E. Hunter. 1982. Soils of Montana (including 1:1,000,000 General Soils Map). Bulletin 744. Montana Agricultural Experiment Station and U.S. Department of Agriculture, Soil Conservation Service, Bozeman, MT.
- Montana Bald Eagle Working Group. 1994. Montana Bald Eagle management plan. 2nd ed. Bureau of Reclamation. 104 pp.
- Montana Bald Eagle Working Group. 1991. Habitat management guide for bald eagles in northwestern Montana. 29 pp.
- Montana Bird Distribution Committee. 1996. Skaar's Montana Bird Distribution, 5th ed. Special Publication No. 3. Montana Natural Heritage Program, Helena, MT. 130 pp.
- Montana Bird Distribution Online Database. 2003. Helena, MT. April–September 2003. <http://MNHP.nris.state.mt.us/mbd/>.
- Montana Bird Distribution Online Database (web application). 2002. Helena, MT. Montana Audubon Society. Available at <http://MNHP.nris.state.mt.us/mbd/> (accessed October 7, 2002).
- Montana Bird Distribution Online Database. 2001. Helena, MT. April–September 2003. <http://MNHP.nris.state.mt.us/mbd/>.

Montana Department of State Lands. Flathead County Park Board. 1988. Proposed Master Plan for Owen Sowerwine State Natural Area.

Montana Fish, Wildlife & Parks. 2004. Memorandum of Understanding and Conservation Agreement for Sauger (*Sander canadensis*) in Montana. 23 pp. Draft—in progress.

Montana Fish, Wildlife & Parks. 2003. Montana Gray Wolf Conservation and Management Plan.

Montana Fish, Wildlife & Parks. 2003. Online information search on least tern in Montana. <http://www.fwp.state.mt.us/wildthings/t&e/threatened.asp> (accessed May 19, 2003).

Montana Fish, Wildlife, and Parks. 2003. Online information search on piping plovers in Montana. <http://www.fwp.state.mt.us/wildthings/t&e/threatened.asp>.

Montana Fish, Wildlife & Parks. 2002. Grizzly Bear Management Plan for Southwestern Montana, 2002–2012.

Montana Fish, Wildlife & Parks. 2001. Conservation Plan for Grizzly Bear in Montana. Pursuant to Section 6(C)(1) of the Endangered Species Act and Montana Fish, Wildlife & Parks Endangered Wildlife Program E-6. Montana Department of Fish, Wildlife & Parks, 1420 East Sixth Avenue, P.O. Box 200701, Helena, MT 59620.

Montana Fish, Wildlife & Parks. 1999. Memorandum of Understanding and Conservation Agreement for Westslope Cutthroat Trout (*Oncorhynchus clarki lewisi*) in Montana. Helena, MT.

Montana Fish, Wildlife & Parks. 1996. Management of Mountain Lions in Montana: Final EIS.

Montana Fish, Wildlife & Parks. 1994. Hauser Reservoir: fisheries management plan: September 1989–September 1994. 16 pp.

Montana Fish, Wildlife & Parks. 1994. Statewide Habitat Plan. Implementation of Fish, Wildlife & Parks Commission Habitat Montana Policy. 44 pp.

Montana Fish, Wildlife & Parks. 1992. North-central Montana black-footed ferret reintroduction and management plan. Prepared by North Central Montana Working Group. 59 pp.

Montana Fluvial Arctic Grayling Workgroup. 1995. Montana Fluvial Arctic Grayling Restoration Plan. Montana Department of Fish, Wildlife & Parks, Helena, MT.

Montana Greater Sage-Grouse Work Group. 2004. Management plan and conservation strategies for greater sage-grouse in Montana.

Montana Natural Heritage Program Online Database.
<http://MNHP.nris.state.mt.us/animalguide> (accessed April 26, 2004).

Montana Natural Heritage Program. Montana Field Guide. Northern leopard frog. Online database. <http://fwp.state.mt.us/fieldguide> (accessed November 19, 2003).

Montana Natural Heritage Program (MNHP): Biological and Conservation Database. 2002. Helena, MT. (Accessed: October 7, 2002.)

Montana Natural Heritage Program. 1987. Status report on the Coeur d' Alene salamander (*Plethodon idahoensis*) in Montana. Unpublished mimeo. U.S.D.A. Forest Service, Kootenai National Forest and Lolo National Forest, Libby, MT.

Montana Online Animal Field Guide. 2004.
<http://www.fwp.state.mt.us/fieldguide/help.aspx#overview> (accessed May 27, 2004). Montana Heritage Program and Montana Department of Fish, Wildlife & Parks. Helena, MT.

Montana Online Animal Field Guide. 2004. Montana Heritage Program and Montana Department of Fish, Wildlife & Parks, Helena, MT.
<http://www.fwp.state.mt.us/fieldguide/help.aspx#overview> (accessed May 18, 2004).

Montana Partners for Fish & Wildlife. 2000. Big Hole River Watershed. 4 pp. More information at <http://www.r6.fws/gpv/pfw/montana/mt3c.htm>.
Montana Partners in Flight Online Database.
<http://biology.dbs.umt.edu/landbird/mbcp/mtpif> (accessed April 26, 2004).

Montana Piping Plover Recovery Committee. 1995. 1994 Surveys for Piping Plover (*Charadrius melanotos*) and Least Tern (*Sterna antillarum*) in Montana. 117 pp. + appendices.

Montana Piping Plover Recovery Committee. 1994. 1993 Surveys for Piping Plover (*Charadrius melanotos*) and Least Tern (*Sterna antillarum*) in Montana. Unpublished report. 116 pp. + appendices.

Montana Piping Plover Working Group. 2003. Montana Piping Plover Management Plan. Unpublished report. 35 pp.

Montana-North Dakota Paddlefish Management Plan. 1995. A cooperative venture between North Dakota Game & Fish Department, Montana Department of Fish, Wildlife & Parks, and University of Idaho. 45 pp.

Mosimann, J. E., and G. B. Rabb. 1952. The herpetology of the Tiber Reservoir area, Montana. *Copeia* 1952:23–27.

Moss, R. E., J. W. Scanlan, and C. S. Anderson. 1983. Observations on the natural history of the blue sucker (*Cyclopterus elongatus LeSueur*) in the Neosho River. *The American Midland Naturalist* 109(1):15–22.

Mueggler, W. F., and W. L. Stewart. 1980. Grassland and Shrubland Habitat Types of Western Montana. U.S.D.A. Forest Service.

Muhlfeld, C. C., D. H. Bennett, and B. Marotz. 2001 (in press). Summer habitat use by redband trout in the Kootenai River drainage, Montana. *North American Journal of Fisheries Management* (February).

Muhlfeld, C. C. 1999. Seasonal habitat use by redband trout (*Oncorhynchus mykiss gairdneri*) in the Kootenai River drainage, Montana. Master's thesis, University of Idaho, Moscow, ID.

Murray, B. G., Jr. 1969. A comparative study of Le Conte's and sharp-tailed sparrows. *Auk* 86:199–231.

Mussehl, T., P. Schladweiler, and R. Weckwerth. 1971. Forest grouse. Pp. 143–151 in T. W. Mussehl and F. W. Howell, eds. *Game management in Montana*. Montana Fish and Game Department, Game Management Division, Helena, MT.

Nagorsen, D., and R. M. Bingham. 1993. *Bats of British Columbia*. University of British Columbia Press, Vancouver, B.C. 164 pp.

National Academy of Sciences. 1998. *Brucellosis in the Greater Yellowstone Area*, by N. F. Cheville, D. R. McCullough, and L. R. Paulson. Washington, DC: National Academy Press.

National Wildlife Federation and the Natural Resources Defense Council. 2001. *Conservation Management of America's Public Lands: An Assessment and Recommendations for Progress 25 Years after FLPMA*.

NatureServe Explorer. <http://www.natureserve.org/explorer> (accessed June 5, 2004). Montana Animal Field Guide. <http://MNHP.nris.state.mt.us/animalguide/> (accessed June 5, 2004).

NatureServe Explorer. 2004. An online encyclopedia of life. Version 3.0. <http://www.natureserve.org/explorer> (accessed April 22, 2004).

- Nelson, J. S., and M. J. Paetz. 1992. The fishes of Alberta, 2nd ed. The University of Alberta Press, Edmonton, and the University of Calgary Press.
- Nelson, R. L., M. L. McHenry, and W. S. Platts. 1991. Mining. Pp. 425–458. W. R. Meehan, ed. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19, Bethesda, MD.
- Nelson, W. R., and C. H. Walburg. 1977. Population dynamics of yellow perch (*Perca flavescens*), sauger (*Stizostedion canadense*), and walleye (*S. vitreum vitreum*) in four Missouri River reservoirs. Journal of the Fisheries Research Board of Canada 34:1748–1763.
- Nelson, W. R. 1968. Reproduction and early life history of sauger (*Stizostedion canadense*) in Lewis and Clark Lake. Transactions of the American Fisheries Society 97:159–166.
- Nesser, J. A., G. L. Ford, C. L. Maynard, D. S. Page-Dumroese. 1997. Ecological Units of the Northern Region Subsection. General Technical Report INT-GTR-369. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 88 pp.
- Nicholson, A. J. 1950. A record of the spotted bat (*Euderma maculatum*) for Montana. Journal of Mammalogy 31:197.
- North American Waterfowl Management Plan. 1998. Expanding the Vision (update). 32 pp.
- Northcote, T. G. 1973. Some impacts of man on Kootenay Lake and its salmonids. Great Lakes Fisheries Commission Technical Report 25. Northern Prairie Wildlife Research Center: Biological Resources—Eastern Bluebird. United States Geological Survey: <http://www.npwrc.usgs.gov> (last updated February 21, 2003).
- Northern Rocky Mountain Wolf Recovery Team. 1980. Northern Rocky Mountain wolf recovery plan interagency report. 67 pp.
- Noss, R., G. Wuerthner, K. Vance-Borland, and C. Carroll. 2001. A Biological Conservation Assessment for the Utah-Wyoming Rocky Mountain Ecoregion: Report to The Nature Conservancy. Conservation Science, Inc. 125 pp. + Executive Summary and Appendix D.
- Novinger, D. C., and F. J. Rahel. 1999. Exploring Competitive Mechanisms That Allow Nonnative Brook Trout to Displace Native Cutthroat Trout in a Rocky Mountain Stream. American Fisheries Society 129th Annual Meeting Abstracts. Charlotte, NC.

- Nussbaum, R. A., E. D. Brodie, Jr., and R. M. Storm. 1983. Amphibians and reptiles of the Pacific Northwest. University Press of Idaho. 332 pp.
- Olsen, David L. 1980. Whooping Crane Recovery Plan. Whooping Crane Recovery Team (USFWS, Nebraska Game and Parks Commission, Texas Parks & Wildlife Department, National Audubon Society). 206 pp.
- Olson, S. L. 1985. Mountain plover food items on and adjacent to a prairie dog town. *The Prairie Naturalist* 17(2):83–90.
- Olson, S. L., and D. Edge. 1985. Nest site selection by mountain plovers in north-central Montana. *Journal of Range Management* 38(3):280–282.
- Olson-Edge, S. L., and W. D. Edge. 1987. Density and distribution of the mountain plover on the Charles M. Russell National Wildlife Refuge. *The Prairie Naturalist* 19(4):233–238.
- Ormiston, J. H. 1973. Fleecer Mountain game range. Game management plan. Montana Fish and Game.
- Orth, P. B., and P. L. Kennedy. 2001. Do land-use patterns influence nest site selection by burrowing owls (*Athene cunicularia hypugaea*) in northeastern Colorado. *Canadian Journal of Zoology* 79:1038–1045.
- Osborn, B. 1942. Prairie dogs in shinnery (oak scrub) savannah. *Ecology* 23:110–5.
- Ostlie, W. R., R. E. Schneider, J. M. Aldrich, T. M. Faust, R. L. B. McKim, and S. J. Chaplin. 1997. The status of biodiversity in the Great Plains. The Nature Conservancy, Arlington, VA. 326 pp. + XII.
- Pacific Flyway Council and USFWS. 2003. Pacific Flyway Implementation Plan for the Rocky Mountain Population of Trumpeter Swans 2003 Annual Report. 29 pp.
- Paige, L. C. 2000. America's Wildlife: The Challenge Ahead. International Association of Fish and Wildlife Agencies, Washington, DC.
- Paragamian, V. L. 2000. The effects of varying flows on burbot spawning migrations in the Kootenai River, Idaho and British Columbia, Canada, after construction of the Libby Dam. Pp. 111–123 in V. L. Paragamian and D. W. Willis, eds. Burbot: biology, ecology and management. American Fisheries Society, Fisheries Management Section, Publication Number 1, Bethesda, MD.
- Parker, T., and M. Scott. 1985. Bighorn Sheep Management Plan.

Parkinson, E. A. 1984. Genetic variation in populations of steelhead trout (*Salmo gairdneri*) in British Columbia. Canadian Journal of Fisheries and Aquatic Sciences 41:1412–1420.

Partners in Amphibian and Reptile Conservation. 1999. Conserving Amphibians and Reptiles in the New Millennium. Conference: June 2–4, 1999, Atlanta, Georgia. <http://www.parcplace.org> (accessed May 20, 2004).

Pattie, D. L., and R. S. Hoffmann. 1992. Mammals of the North American Parks and Prairies. Self-published.

Paulson, D. D. 1988. *Chaetodipus hispidus*. American Society of Mammalogists, Mammalian Species 320:1–4.

Pavelka, Greg. 2003. Threatened and Endangered Species Specialist. U.S. Army Corps of Engineers, Operations Division, Omaha District, Gavins Pt. Project Office. Personal communication regarding recent river censuses of least terns in Montana. August 12, 2003.

Payne, B. S., A. C. Miller, and R. Whiting. 1997. Designing a riverine mussel survey. Pp. 150–156 in K. S. Cummings, A. C. Buchanan, C. A. Mayer, and T. J. Naimo, eds. Conservation and management of freshwater mussels II: initiatives for the future. Proceedings of a UMRCC symposium, October 16–18, 1995, St. Louis, Missouri. Upper Mississippi River Conservation Committee, Rock Island, IL.

Pearson, Dean E. 1999. Small mammals of the Bitterroot National Forest: a literature review and annotated bibliography. General Technical Report RRS-GTR-25. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 63 pp.

Pefaur, J. E., and R. S. Hoffman. 1971. Merriam's shrew and hispid pocket mouse in Montana. American Midland Naturalist 86:247–248.

Pegg, M. A., P. W. Bettoli, and J. B. Layzer. 1997. Movement of saugers in the lower Tennessee River determined by radio telemetry, and implications for management. North American Journal of Fisheries Management 17:763–768.

Penkal, R. F. 1992. Assessment and requirements of sauger and walleye populations in the lower Yellowstone River and its tributaries. Montana Department of Fish, Wildlife & Parks report, Helena, MT.

Perkinson, R. D. 1993. Presentation to the American Fisheries Society, Montana Chapter, February 17, 1993.

Perry, T. W., P. M. Cryan, S. R. Davenport, and M. A. Bogan. 1997. New locality for *Euderma maculatum* (Chiroptera: Vespertilionidae) in New Mexico. *Southwestern Naturalist* 42:99–101.

Petranka, J. W., M. E. Eldridge, and K. E. Haley. 1993. Effects of timber harvesting on southern Appalachian salamanders. *Conservation Biology* 7:363–370.

Pfister, R. D., B. L. Kovalchik, S. F. Arno, and R. C. Presby. 1977. Forest habitat types of Montana. U.S.D.A. Forest Service.

Pflieger, W. L. 1997. The fishes of Missouri. Missouri Department of Conservation, Jefferson City, MO.

Pflieger, W. 1975. The fishes of Missouri. Missouri Department of Conservation. Jefferson City, MO.

Pierson, E. D., M. C. Wackenhet, J. S. Altenbach, P. Bradley, P. Call, D. L. Genter, C. E. Harris, B. L. Keller, B. Lengus, L. Lewis, B. Luce, K. W. Navo, J. M. Perkins, S. Smith, and L. Welch. 1999. Species conservation assessment and strategy for Townsend's big-eared bat (*Corynorhinus townsendii townsendii* and *Corynorhinus townsendii pallescens*). Idaho Conservation Effort, Idaho Department of Fish and Game, Boise, ID.

Pierson, E. D., and W. E. Rainey. 1998. Distribution of the spotted bat (*Euderma maculatum*) in California. *Journal of Mammalogy* 79:1296–1305.

Platts, W. S. 1991. Livestock grazing, pp. 389–424. In: W. R. Meehan, ed. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19:389–423.

Platts, W. S. 1989. Compatibility of livestock grazing strategies with fisheries, pp. 103–110. In: R. E. Gresswell, B. A. Barton, J. L. Kershner, eds. Practical approaches to riparian resource management. U.S. Bureau of Land Management, P.O. Box 36800, Billings, MT.

Platts, W. S. 1981b. Influence of forest and rangeland management on anadromous fish habitat in western North America: 7. Effects of livestock grazing. U.S.D.A. Forest Service General Technical Report PNW-124.

Priday, J., and B. Luce. 1997. Inventory of bats and bat habitat associated with caves and mines in Wyoming. Endangered and nongame bird and mammal investigations annual completion report, pp. 50–109. Nongame Program, Biological Science.

- Rabe, M. J., M. S. Siders, C. R. Miller, and T. K. Snow. 1998. Long foraging distance for a spotted bat (*Euderma maculatum*) in northern Arizona. *Southwestern Naturalist* 43:266–269.
- Rahel, F. J. 2002. Homogenization of freshwater faunas. *Annual Review of Ecology and Systematics* 33:291–315.
- Rahel, F. J. 2000. Homogenization of fish faunas across the United States. *Science* 288:854–856.
- Rahel, F. J. 1990. The hierarchical nature of community persistence: a problem of scale. *American Naturalist* 136:328–334.
- Ratliff, D. E. 1992. Bull trout investigations in the Metolius River-Lake Billy Chinook system. Pp. 37–44 in P. J. Howell and D. V. Buchanan, eds. *Proceedings of the Gearhart Mountain bull trout workshop*. Oregon Chapter of the American Fisheries Society, Corvallis, OR.
- Ratliff, D. E., and P. J. Howell. 1992. The status of bull trout populations in Oregon. Pp. 10–17 in P. J. Howell and D. V. Buchanan, eds. *Proceedings of the Gearhart Mountain bull trout workshop*. Oregon Chapter of the American Fisheries Society, Corvallis, OR.
- Rauscher, R. 1997. Status and distribution of the pygmy rabbit in Montana. Montana Department of Fish, Wildlife & Parks, nongame program. Unpublished report. 19 pp. + appendices.
- Rawson, M. R., and R. L. Scholl. 1978. Reestablishment of sauger in western Lake Erie. Pp. 261–265 in R. L. Kendall, ed. *Selected cool water fishes of North America*. American Fisheries Society Special Publication 11. Bethesda, MD.
- Redmond, R. L., M. M. Hart, J. C. Winne, W. A. Williams, P. C. Thornton, Z. Ma, C. M. Tobalske, M. M. Thornton, K. P. McLaughlin, T. P. Tady, F. B. Fisher, and S. W. Running. 1998. The Montana Gap Analysis Project: Final Report. Unpublished report. Montana Cooperative Wildlife Research Unit, University of Montana, Missoula, MT.
- Redmond, R. L., and D. A. Jenni. 1986. Population ecology of the long-billed curlew (*Numenius americanus*) in western Idaho. *Auk* 103:755–767.
- Reed, J. M. 1995. Relative vulnerability to extirpation of montane breeding birds in the Great Basin. *Great Basin Naturalist* 55:342–351.
- Rehwinkle, B. 1978. Powder River aquatic ecology project. Report to Utah International, Inc. Salt Lake City, UT.

Reichel, J. D., and J. G. Corn. 1997. Northern bog lemmings: survey, population parameters, and population analysis. Unpublished report to the Kootenai National Forest. Montana Natural Heritage Program, Helena, MT. 27 pp.

Reichel, J. D. 1995. Montana Species of Special Concern. Montana Natural Heritage Program, Helena, MT. 10 pp.

Reichel, J. D. 1995. Preliminary amphibian and reptile survey of the Lewis and Clark National Forest: 1994. March 1995.

Reichel, J. D., and D. Flath. 1995. Identification of Montana's amphibians and reptiles. *Montana Outdoors* 26:15–34.

Reichel, J. D. and D. L. Genter. 1995. Harlequin duck surveys in western Montana: 1994. Montana Natural Heritage Program, Helena, MT.

Reichel, J. D. and S. G. Beckstrom. 1994. Northern bog lemming survey: 1993. Unpublished report. Montana Natural Heritage Program. Helena, MT. 87 pp.

Reynolds, R. T., and B. D. Linkhart. 1992. Flammulated owls in ponderosa pine: evidence of preference for old growth. In M. R. Kaufmann, W. H. Moir, and R. L. Bassett (tech. coord.). Old-growth forests in the Southwest and Rocky Mountain regions. U.S.D.A. Forest Service General Technical Report RM-213. 201 pp.

Reynolds, R. T., R. A. Ryder, and B. D. Linkhart. 1989. Small forest owls. Pp. 131–143 in National Wildlife Federation. Proceedings of the western raptor management symposium and workshop. National Wildlife Federation Scientific and Technical Series No.

Reynolds, R. T., and B. D. Linkhart. 1987. The nesting biology of flammulated owls in Colorado. Pp. 239–248 in R. W. Nero et al., eds. Biology and conservation of northern forest owls. U.S.D.A. Forest Service General Technical Report RM-142.

Rich, T. D., C. J. Beardmore, H. Berlanga, P. J. Blancher, M. S. W. Bradstreet, G. S. Butcher, D. W. Demarest, E. H. Dunn, W. C. Hunter, E. E. Inigo-Elias, J. A. Kennedy, A. M. Martell, A. O. Panjabi, D. N. Pashley, K. V. Rosenberg, C. M. Rustay, J. S. Wendt, and T. C. Will. 2004. Partners in Flight North American Landbird Conservation Plan. Cornell Lab of Ornithology, Ithaca, NY.

Richardson, L. 1986. On the track of the last black-footed ferrets. *Nat. Hist.* 95(2): 69–77.

- Riehle, M., W. Weber, A. M. Stuart, S. L. Thiesfeld, and D. E. Ratliff. 1997. Progress report of the multi-agency study of bull trout in the Metolius River system, Oregon. Pp. 137–144 in W. C. Mackay, M. K. Brewin, and M. Monita, eds. Friends of the bull trout conference proceedings. Bull Trout Task Force (Alberta), c/o Trout Unlimited Canada, Calgary.
- Rieman, B. E., and J. D. McIntyre. 1993. Demographic and habitat requirements for conservation of bull trout. U.S.D.A. Forest Service General Technical Report INT-302. 40 pp.
- Riley, Shawn J. Cougars in Montana: a review of biology and management and a plan for the future.
- Roberts, H. B. 2001. Survey of pygmy rabbit distribution, numbers and habitat use in Lemhi and Custer counties, Idaho. Technical Bulletin No. 01-11. Idaho Bureau of Land Management.
- Rodgers, T. L., and W. L. Jellison. 1942. A collection of amphibians and reptiles from western Montana. *Copeia* 1942:10–13.
- Rolfe, E. S. 1899. Nesting of Nelson's sharp-tailed sparrow (*Ammodramus nelsoni*) in North Dakota. *Auk* 16:356–357.
- Ross, C. P., D. A. Andrews, I. J. Witkind. 1955. Geologic Map of Montana, 1:500,000. U.S. Geological Survey.
- Ross, R. L., and H. E. Hunter. 1976. Climax vegetation of Montana based on soils and climate (includes 1:1,000,000 map). U.S. Department of Agriculture, Soil Conservation Service, Bozeman, MT.
- Ruediger, Bill, and 14 others on Lynx Biology Team. 2000. Canada Lynx Conservation Assessment and Strategy. 120 pp.
- Ruelle, R., and K. D. Keenlyne. 1991. A contaminant evaluation of Missouri River pallid sturgeon. U.S. Fish and Wildlife Service. Pierre, SD. 25 pp.
- Ruggles, M. P. 1997. Sections 2 and 3: Upper Inter-Reservoir I and Lower Yellowstone River, Montana. In: D. J. Dieterman, M. P. Ruggles, M. L. Wildhaber, and D. L. Galat, eds. Population structure and habitat use of benthic fishes along the Missouri and lower Yellowstone Rivers. 1997 Annual Report of Missouri River Benthic Fish Study PD-95-5832 to U.S. Army Corps of Engineers and U.S. Bureau of Reclamation.
- Russell, A. P., and A. M. Bauer. 1993. The amphibians and reptiles of Alberta. University of Calgary Press, Calgary, Alberta, and University of Alberta Press, Edmonton, Alberta. 264 pp.

- Saab, V. A., and J. S. Marks. 1992. Summer habitat use by Columbian sharp-tailed grouse in western Idaho. *Great Basin Naturalist*. 52:166–173.
- Schmetterling, D. A., and M. H. Long. 1999. Montana anglers' inability to identify bull trout and other salmonids. *Fisheries* 24:24–27.
- Schroeder, Michael A., Cameron L. Aldridge, Anthony D. Apa, Joseph R. Bohne, Clait E. Braun, S. Dwight Bunnell, John W. Connelly, Pat A. Deibert, Scott C. Gardner, Mark A. Hilliard, Gerald D. Kobriger, Susan M. McAdam, Clinton W. McCarthy, John J. McCarthy, Dean L. Mitchell, Eric V. Rickerson, and San J. Stiver. 2004. Distribution of greater sage-grouse in North America. *Condor* 106: 363–376.
- Schulenberg, J., and M. Ptacek. 1984. Status of the interior least tern in Kansas. *American Birds* 38:975–981.
- Schultz, L. P. 1941. Fishes of Glacier National Park, Montana. U.S. Department of the Interior Conservation Bulletin, No. 22. Washington, DC.
- Schulz, T. T., and W. C. Leininger. 1990. Differences in riparian vegetation structure between grazed areas and exclosures. *Journal of Range Management* 43:295–299.
- Scott, W. B., and E. J. Crossman. 1973. Freshwater Fishes of Canada. Fisheries Research Board of Canada Bulletin 184.
- Seabloom, R. W. 2002. Additional records of the hispid pocket mouse in North Dakota. *The Prairie Naturalist* 34:61–62.
- Sergio, I., and I. Newton 2003. Occupancy as a measure of territory quality. *Journal of Animal Ecology* 72:857–865.
- Servheen, C. 1993. Grizzly bear recovery plan. Unpublished report to the U.S. Fish and Wildlife Service. University of Montana, Missoula, MT. 181 pp.
- Servheen, C. 1983. Grizzly bear food habits, movements and habitat selection in the Mission Mountains, Montana. *Journal of Wildlife Management* 47:1026–1035.
- Shaffer, M. 1992. Keeping the grizzly bear in the American West: an alternative recovery plan. The Wilderness Society, Washington, DC.
- Shaw, J. A., and T. S. Carter. 1990. Bison movements in relation to fire and seasonality. *Wildlife Society Bulletin* 18:426–430.

- Shepard, B. B., B. E. May, W. Uri. 2003. Status of westslope cutthroat trout (*Onchorhyncus clarki lewisi*) in the United States: 2002. Westslope Cutthroat Conservation Team.
- Shepard, B. B., and R. A. Oswald. 1989. Timing, location, and population characteristics of spawning Montana arctic grayling (*Thymallus arcticus montanus* [Milner]) in the Big Hole River drainage, 1988. Montana Department of Fish, Wildlife & Parks, Bozeman, MT.
- Shepard, B. B., K. L. Pratt, and P. J. Graham. 1984. Life histories of westslope cutthroat trout and bull trout in the upper Flathead River Basin, Montana. Montana Department of Fish, Wildlife & Parks, Helena, MT.
- Shryer, J. S., and D. S. Flath. 1980. First record of the pallid bat (*Antrozous pallidus*) from Montana. Great Basin Naturalist 40(2):115.
- Skaar, D. 1989. Distribution, relative abundance, and habitat utilization of arctic grayling (*Thymallus arcticus*) in the upper Big Hole River drainage, Montana, July 5 to September 8, 1988. Report to Montana Natural Heritage Program, Beaverhead National Forest, and Montana Department of Fish, Wildlife & Parks, Bozeman, MT.
- Skaar, D. 1990. Montana common loon management plan. Unpublished report prepared for U.S.D.A. Forest Service, Region 1. 61 pp.
- Skaar, D. 1988. Creation of a management plan for the common loon in Montana. Pp. 101–102 in North American Loon Fund conference report.
- Skaar, P. D. 1969. Birds of the Bozeman lat-long. P. D. Skaar, Pub., Bozeman, MT. 132 pp.
- Slater, J. R., and J. W. Slipp. 1940. A new species of *Plethodon* from northern Idaho. Occasional papers of D. S. Smith. 1984. Habitat use, home range, and movements of bobcats in western Montana. M.S. thesis, University of Montana, Missoula, MT. 58 pp.
- Smith, C. A., and G. N. Boz. 1977. Management plans for alternative uses of wildlife.
- Snow, C. 1974. Habitat management series for endangered species Report No. 4. Spotted bat (*Euderma maculatum*). USDI Bureau of Land Management Technical Note TN 170.
- Snyder, B. and R. Oswald. 2004. Status of native lake trout in Montana. Draft (in progress). Montana Fish, Wildlife & Parks. Helena, MT.

Spahr, R., L. Armstrong, D. Atwood, and M. Rath. 1991. Threatened, endangered, and sensitive species of the Intermountain Region. U.S.D.A. Forest Service, Ogden, UT.

Spruell, P., B. E. Rieman, K. L. Knudsen, F. M. Utter, and F. W. Allendorf. 1999. Genetic population structure within streams: microsatellite analysis of bull trout populations. *Ecology of Freshwater Fish* 8:114–121.

Stagliano, D. M. 2005. Aquatic Community Classification and Ecosystem Diversity in Montana's Missouri River Watershed. Report to the Bureau of Land Management. Montana Natural Heritage Program, Helena, Montana. 65 pp. plus appendices.

Stagliano, D. 2004. Systematic Survey Plan for the Freshwater Mussels in Montana. Montana Natural Heritage Program, Helena, MT. 10 pp.

Stash, S. W. 2001. Distribution, relative abundance, and habitat association of Milk River fishes related to irrigation diversion dams. Master's thesis, Montana State University, Bozeman, MT.

Statewide Habitat Plan. 1994. Implementation of Fish, Wildlife & Parks Commission. Habitat Montana Policy.

Stebbins, R. C. 2003. A field guide to western reptiles and amphibians. 3rd ed. Houghton Mifflin Company, Boston, MA. 533 pp.

Stebbins, R. C. 1985. Peterson Field Guides: Western Reptiles and Amphibians. Houghton Mifflin Company, Boston, MA.

Stewart, D. 1981. The biology of the sturgeon chub (*Hybopsis gelida Girard*) in Wyoming. Master's thesis, University of Wyoming, Laramie, WY.

Stewart, R. E. 1975. Breeding birds of North Dakota. Tri-College Center for Environmental Studies, Fargo, ND. 295 pp.

Stohlgren, T. J. 1998. Rocky Mountains. Pp. 473–504 in M. J. Mac, P. A. Opler, C. E. Puckett Haecker, and P. D. Doran, eds. Status and Trends of the Nation's Biological Resources. USDI U.S. Geological Survey, Washington, DC.

Storz, J. 1995. Local distribution and foraging behavior of the spotted bat (*Euderma maculatum*) in northwestern Colorado and adjacent Utah. *Great Basin Naturalist* 55(1):78–83.

Street, R. 1999. *Histrionicus histrionicus*. Animal Diversity Web.
http://animaldiversity.ummz.umich.edu/accounts/information/Histrionicus_histrionicus.html (accessed May 13, 2004).

Swanberg, T. R. 1996. The movement and habitat use of fluvial bull trout in the upper Clark Fork River drainage. Master's thesis, University of Montana, Missoula, MT. 61 pp.

Swenson, J. E., and G. F. Shanks, Jr. 1979. Noteworthy records of bats from northeastern Montana. *Journal of Mammalogy* 60:650–652.

Taylor, A. R., and R. L. Knight. 2003. Wildlife responses to recreation and associated visitor perceptions. *Ecological Applications* 13:951–963.

Taylor, E. B., S. Pollard, and D. Louie. 1999. Mitochondrial DNA variation in bull trout (*Salvelinus confluentus*) from northwestern North America: implications for zoogeography and conservation. *Mol. Ecol.* 8:1155–1170.

Teberg, E. K. 1965. Range extensions of the salamander *Plethodon vandykei idahoensis*. *Copeia* 1965:244.

Teberg, E. K. 1963. An extension into Montana of the known range of the salamander *Plethodon vandykei idahoensis*. *Herpetologica* 19:287.

Tennant, Donald. Instream Flow Regimes for Fish, Wildlife, Recreation, and Related Environmental Resources (Billings, Mont.: U.S. Fish and Wildlife Service, 1975).

Tews, A., M. Enk, S. Leathe, W. Hill, S. Dalbey, and G. Liknes. 2000. Overview of Status and Restoration Strategies for Westslope Cutthroat Trout (*Oncorhynchus clarki lewisi*) in North-central Montana. Special report by Montana Fish, Wildlife & Parks in collaboration with the Lewis and Clark National Forest. Great Falls, MT.

Tews A. 1993. Pallid sturgeon and shovelnose sturgeon in the Missouri River from Fort Peck Dam to Lake Sacagawea and in the Yellowstone from Intake to its mouth. Report submitted to the U.S. Army Corps of Engineers, Planning Branch, Omaha, NE.

The Nature Conservancy. 2005. Unpublished report.

The Nature Conservancy. 2004. Canadian Rocky Mountains Ecoregional Assessment. Four volumes, including Report, Appendices, Conservation Area Descriptions and Maps.

The Nature Conservancy. 2000. Middle Rockies-Blue Mountains Ecoregional Conservation Plan. Prepared by the Middle Rockies-Blue Mountains Planning Team. 58 pp + appendices.

The Nature Conservancy. 1999. Ecoregional Conservation in the Northern Great Plains Steppe. Northern Great Plains Steppe Ecoregional Planning Team. 76 pp.

The Nature Conservancy. 1996. Statewide conservation plan. Prepared by The Nature Conservancy of Montana and Montana Natural Heritage Program. 48 pp.

The North American Management Plan for Trumpeter Swans. 1984.

Thiel, R. P. 1985. Relationship between road densities and wolf habitat suitability in Wisconsin. *American Midland Naturalist* 113:404–407.

Thompson, I. D., H. A. Hogan, and W. A. Montevecchi. 1999. Avian communities of mature balsam forests in Newfoundland: age-dependence and implications for timber harvest. *Condor* 99:311–323.

Thompson, L. 1985. A harlequin romance. *Montana Outdoors* 16:21–25.

Thorp, J. 1949. Effects of certain animals that live in soils. *Scientific Monthly* 68:180–91.

Thurow, R. F., C. E. Corsi, and V. K. Moore. 1988. Status, ecology, and management of Yellowstone cutthroat trout in upper Snake River drainage, Idaho. *American Fisheries Society Symposium* 4:25–36.

Todd, L. D., R. G. Poulin, T. I. Wellicome, and R. M. Brigham. 2003. Post fledging survival of burrowing owls in Saskatchewan. *Journal of Wildlife Management* 67:512–519.

Tsai, C., and J. A. Fava. 1982. Habitats and distribution of the pearl dace (*Semotilus margarita* [Cope]), in the Potomac River drainage. *Virginia Journal of Science* 33:201–205.

Tsukamoto, G. K. 1983. Pronghorn antelope species management plan.

Ulliman, M. J., A. Sands, and T. Hemker. 1998. Conservation Plan for Columbian Sharp-tailed Grouse and its Habitat in Idaho (draft). Draft document on file at the forest supervisor's office, Idaho Falls, ID.

U.S. Fish and Wildlife Service. 2004. Conservation Focus Areas of the Great Divide: a vast region encompassing the Upper Missouri, Yellowstone and upper Columbia watersheds. Publisher: USFWS, Benton Lake Wildlife Refuge, Great Falls, MT. 77 pp.

U.S. Fish and Wildlife Service. 2003. Online informational search on piping plovers in Montana. http://mountain-prairie.fws.gov/pipingplover/Piping_Plover_Q&A_Sept5.htm.

U.S. Fish and Wildlife Service. 2002a. Endangered and threatened wildlife and plants; bull trout (*Salvelinus confluentus*) draft recovery plan. Available at <http://pacific.fws.gov/bulltrout/recovery/Default.htm>.

U.S. Fish and Wildlife Service. 2002b. Endangered and threatened wildlife and plants; proposed designation of critical habitat for the Klamath River and Columbia River distinct population segments of bull trout. Federal Register 67: 71235–71284. Available at <http://pacific.fws.gov/bulltrout/criticalhab.htm>.

U.S. Fish and Wildlife Service. 1999. White sturgeon; Kootenai River population recovery plan. Region 1, USFWS, Portland, OR.

U.S. Fish and Wildlife Service. 1999. Endangered and threatened wildlife and plants: 90-day finding on a petition to list the Columbian sharp-tailed grouse as threatened. Federal Register: October 26, 1999. Vol. 64, No. 206, pp. 57620–57623.

U.S. Fish and Wildlife Service. 1998. Endangered and threatened wildlife and plants; determination of threatened status for the Klamath River and Columbia River distinct population segments of bull trout. Federal Register 63:31647–31674.

U.S. Fish and Wildlife Service, Office of Migratory Bird Management. 1995. Migratory nongame birds of management concern in the United States: the 1995 list. U.S. Government Printing Office:1996-404-911/44014. 22 pp.

U.S. Fish and Wildlife Service. 1994. Endangered and threatened wildlife and plants: establishment of a nonessential experimental population of black-footed ferrets in north-central Montana; final rule. Federal Register 59:42696–42715.

U.S. Fish and Wildlife Service. 1990. Recovery plan for the interior population of the least tern (*Sterna Antillarum*). Twin Cities, MN. 90 pp.

U.S. Fish and Wildlife Service. 1988. Black-footed ferret recovery plan. Denver, CO. 154 pp.

U.S. Fish and Wildlife Service. 1987. Northern Rocky Mountain wolf recovery plan. U.S. Fish and Wildlife Service, Denver CO. 119 pp.

U.S. Fish and Wildlife Service. 1985. Charles M. Russell National Wildlife Refuge, Montana: Final Environmental Impact Statement.

U.S. Fish and Wildlife Service. 1984. American peregrine falcon recovery plan (Rocky Mountain/southwest population). Prepared in cooperation with American peregrine falcon recovery team. USFWS, Denver, CO.

U.S. Fish and Wildlife Service. 1984. Selkirk mountain caribou management and recovery plan. U.S. Fish Wildlife Service, Portland, OR. 121 pp.

U.S. Fish and Wildlife Service. 1982. Grizzly bear recovery plan. Unpublished report prepared in cooperation with recovery team leader Don L. Brown of the Montana Department of Fish, Wildlife & Parks. 195 pp.

U.S. Fish and Wildlife Service. 1981. Draft western golden eagle management plan. Washington, DC.

U.S. Fish and Wildlife Service. 1970. A summary of the northern Rocky Mountain wolf recovery plan.

U.S. Fish and Wildlife Service. 1955. Missouri River basin studies: a preliminary report on fish and wildlife resources in relation to the water development plan for the Sun-Teton division, Missouri River basin project, Montana.

U.S. Forest Service. 2004. Draft Multiple Species Inventory and Monitoring Technical Guide. Ecotype Management Coordination. U.S.D.A. Forest Service, Washington, DC.

U.S. Forest Service. 2004. Beaverhead National Forest Lake Inventory. Available at <http://www.fs.fed.us/r1/b-d/> (accessed August 27, 2004).

U.S. Forest Service. 1994. Neotropical Migratory Bird Reference Book. U.S.D.A. Forest Service—Pacific Southwest Region. 832 pp.

U.S. Forest Service. 1993. Helena National Forest, Townsend Ranger District and Bureau of Land Management, Headwaters Resource Area. Environmental assessment of vegetation treatment and allotment management plan revisions for the Greater Crow Creek and Indian Creek watershed.

U.S. Forest Service. 1977. Western spruce budworm management plan.

U.S. Geological Survey. November 2001. Fact Sheet FS-110-01. Online at <http://pubs.usgs.gov/fs/fs-0110-01/>.

U.S. Geological Survey. 1988. Cumulative Potential Hydrologic Impacts of Surface Coal Mining in the Eastern Powder River Structural Basin, Northeastern Wyoming. USGS Water Resources Investigations Report 88-4046. Prepared by L. J. Martin, D. L. Naftz, H. W. Lowham, and J. G. Rankl in cooperation with the Wyoming Department of Environmental Quality and the U. S. Office of Surface Mining, Cheyenne, WY.

USDI National Park Service. 2000. Bison Management for the State of Montana and Yellowstone National Park. Final Environmental Impact Statement for the Interagency Bison Management Plan for the State of Montana and Yellowstone National Park. Vol. I. August 2000.

USDI National Park Service, Yellowstone National Park. 1963. 1963–1964 northern Yellowstone wildlife and range management plan.

Van Eimeren, P. 1996. Westslope cutthroat trout (*Oncorhynchus clarki lewisi*). In Conservation Assessment for Inland Cutthroat Trout. Distribution, Status and Habitat Management Implications. D. A. Duff, tech. ed. Pp. 1–10. U.S. Department of Agriculture, Forest Service, Intermountain Region, Ogden, UT.

Van Woudenberg, A. M. 1999. Status of the flammulated owl (*Otus flammeolus*) in British Columbia. Working Report No. 96, British Columbia Ministry of Environment, Lands, and Parks, Victoria, B.C. 45 pp.

Van Zyll de Jong, C. G. 1985. Handbook of Canadian mammals, Vol. 2: bats. National Museums of Canada, Ottawa.

Varley, J. D., and R. E. Gresswell. 1988. Ecology, status, and management of the Yellowstone cutthroat trout. American Fisheries Society Symposium 4:13–24.

Vashro, J., et al. 1989. Upper Flathead system fisheries management plan: 1989–1994. Unpublished report. Montana Department of Fish, Wildlife & Parks and the Confederated Salish and Kootenai Tribes. 47 pp.

Vaughn, C. C., C. M. Taylor, and K. J. Eberhard. 1996. A Comparison of the Effectiveness of Timed Searches vs. Quadrat Sampling in Mussel Surveys. K. S. Cummins, A. C. Buchanan, and L. M. Koch, eds. The conservation and management of freshwater mussels II: initiatives for the future. Upper Mississippi River Conservation Committee, Rock Island, IL.

Verts, B. J., and L. N. Carraway. 1998. Land mammals of Oregon. University of California Press, Berkeley, CA. 668 pp.

Verts, B. J., and G. L. Kirkland, Jr. 1988. *Perognathus parvus*. American Society of Mammologists, Mammalian Species 318:1–8.

Vincent, R. E. 1962. Biogeographical and biologic factors contributing to the decline of arctic grayling (*Thymallus arcticus* [Pallus]) in Michigan and Montana. Ph.D. dissertation, University of Michigan, Ann Arbor, MI.

Vinton, M. A., D. C. Hartnett, E. J. Finck, and J. M. Briggs. 1993. Interactive effects of fire, bison (*Bison bison*) grazing and plant community composition in tallgrass prairie. American Midland Naturalist 129:10–18.

- Wagner, R. 2004. USFWS, personal communication.
- Wai-Ping, V., and M. B. Fenton. 1989. Ecology of spotted bat (*Euderma maculatum*) roosting and foraging. *Journal of Mammalogy* 70:617–622.
- Walburg C. H. 1972. Some factors associated with fluctuation in year-class strength of sauger, Lewis and Clark Lake, South Dakota. *Transactions of the American Fisheries Society* 101:311–316.
- Wallen, R. L., and C. R. Groves. 1989. Distribution, breeding biology and nesting habitat of harlequin ducks (*Histrionicus histrionicus*) in northern Idaho. Natural Heritage Section. Nongame Wildlife/Endangered Species Program, Bureau of Wildlife.
- Wallen, R. L. 1987. Habitat utilization by harlequin ducks in Grand Teton National Park. Unpublished M.S. thesis, Montana State University, Bozeman, MT.
- Warheit, K. I., and M. A. Schroeder. 2001. Genetic analysis of Columbian sharp-tailed grouse: a preliminary study. Submitted to U.S. Department of the Interior, Bureau of Land Management, Spokane, WA. WDFW Contract No. 39001257. 16 pp.
- Welker, T. L., and D. L. Scarneccchia. Habitat use and population structure of four native minnows (family Cyprinidae) in the upper Missouri and lower Yellowstone rivers, North Dakota. *Ecology of Freshwater Fish* 2004:13:8–22.
- Werdon, S. 1993. Status report on sturgeon chub (*Macrhybopsis gelida*), a candidate endangered species. U.S. Fish and Wildlife Service, Ecological Services, North Dakota State Office, Bismarck, ND.
- Werdon, S. 1992. Population status and characteristics of *Macrhybopsis gelida*, *Platygobio gracilis* and *Rhinichthyes cataractae* in the Missouri River Basin. Master's thesis, South Dakota State University, Brookings, SD.
- Werner, J. K., B. A. Maxell, D. Flath, and D. P. Hendricks. 2004. Amphibians and reptiles of Montana. Missoula, MT: Mountain Press Publishing Company. 262 pp.
- Werner, J. K. 2003. Status of the northern leopard frog (*Rana pipiens*) in western Montana. *Northwestern Naturalist* 84:24–30.
- Werner, J. K., T. Plummer, and J. Weaselhead. 1998. Amphibians and reptiles of the Flathead Indian Reservation. *Intermountain Journal of Science* 4:33–49.
- Werner, J. K., and J. D. Reichel. 1996. Amphibian and reptile monitoring/survey of the Kootenai National Forest: 1995. Montana Natural Heritage Program, Helena, MT.

- Werner, J. K., and J. D. Reichel. 1994. Amphibian and reptile monitoring/survey of the Kootenai National Forest: 1994. Montana Natural Heritage Program, Helena, MT.
- Wershler, C. R. 1989. A management strategy for mountain plovers in Alberta. Proc. Prairie Cons. Endangered Species Workshop, Saskatchewan Natural History Society and Canadian Plains Resource Center. 5 pp.
- West, S. D. 1999. Northern bog lemming (*Synaptomys borealis*). Pp. 655–656 in the Smithsonian book of North American mammals, D. E. Wilson and S. Ruff, eds. Smithsonian Institution Press, Washington, DC.
- Wheaton, J., and J. J. Metesh. 2002. Potential groundwater drawdown and recovery for coal bed methane development in the Powder River Basin, Montana. Montana Bureau of Mines and Geology Open File Report 458. 59 pp.
- Whitaker, J. O., Jr. 1972. *Zapus hudsonius*. American Society of Mammologists, Mammalian Species No. 11. 7 pp.
- Whitewater Wetlands Conservation Area Plan. 2004. B. Martin and J. Stutzman. 16 pp + appendices.
- Whittier, T. R., D. B. Halliwell, and S. G. Paulsen. 1997. Cyprinid distributions in northeastern U.S.A. lakes: evidence of regional-scale minnow biodiversity losses. Canadian Journal of Fisheries and Aquatic Sciences 54:1593–1607.
- Wikstrom, J. H., and S. B. Hutchison. 1971. Stratification of forest land for timber management planning on the western national forests.
- Will, G. C. January 1986. Waterfowl, sandhill crane and snipe management plan.
- Williams, J. D., and M. Zimmer. 1992. First sharp-tailed sparrow South Dakota nesting record. South Dakota Bird Notes 44:84–85.
- Williams, J. E., J. E. Johnson, D. A. Hendrickson, S. Contreras-Balderas, J. D. Williams, M Avarro-Mendoza, D. E. McAllister, and J. E. Deacon. 1989. Fishes of North America endangered, threatened, or of special concern: 1989. Fisheries 14(6):2–20.
- Wilson, A. G., E. Simon, and J. H. Larsen, Jr. 1989. Range extension for the Coeur d' Alene salamander (*Plethodon vandykei idahoensis*) to the Canada-U.S. border. Canadian Field-Naturalist 103:93–94.

- Wilson, C. C., and P. D. N. Hebert. 1998. Phylogeography and postglacial dispersal of lake trout (*Salvelinus namaycush*) in North America. Canadian Journal of Fish and Aquatic Sciences 55:1010–1024.
- Wilson, D. E., and S. Ruff. 1999. The Smithsonian book of North American mammals. The Smithsonian Institution, Washington, DC. 750 pp.
- Wisdom, M. J., R. S. Holthausen, B. C. Wales, C. D. Hargis, V. A. Saab, D. C. Lee, W. J. Hann, T. D. Rich, M. M. Rowland, W. J. Murphy, and M. R. Eames. 2000. Source habitats for terrestrial vertebrates of focus in the Interior Columbia Basin: broad-scale trends and management implications. Vols. 1–3. General Technical Report PNW-GTR-485. U.S.D.A. Forest Service, Pacific Northwest Research Station, Portland OR.
- Wood, M. 1991. Management plan for Columbian sharp-tailed grouse in western Montana.
- Worthington, D. J. 1991. Abundance and distribution of bats in the Pryor Mountains of south-central Montana and northeastern Wyoming. Montana Natural Heritage Program. Helena, MT. 23 pp.
- Wright, J. C., and E. A. Wright. 1948. Grassland types of south-central Montana. Ecology 29(4):449–460.
- Wright, P. L. 1997. Status of rare birds in Montana, with comments on known hybrids. Northwestern Naturalist 77:57–85.
- Wright, P. L. 1950. *Synaptomys borealis* from Glacier National Park, Montana. Journal of Mammalogy 31(4):460.
- Wright, V. 2000. The Aldo Leopold Wilderness Research Institute: A National Wilderness Research Program in Support of Wilderness Management. In Stephen F. McCool, David N. Cole, William T. Borrie, Jennifer O'Loughlin, comps. Wilderness Science in a Time of Change Conference Vol. 3: Wilderness as a place for scientific inquiry, May 23–27, 1999, Missoula, MT. Proc. RMRS-P-15-VOL-3. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. Pp. 260–268.
- Wright, V., S. Hejl, and R.L. Hutto. 1997. Conservation implications of a multi-scale study of flammulated owl (*Otus flammeolus*) habitat use in the northern Rocky Mountains, USA. Pp. 506–516 in J. R. Duncan, D. H. Johnson, and T. H. Nicholls, eds.
- Wright, V. 1996. Multi-scale analysis of flammulated owl habitat use: owl distribution, habitat management, and conservation. Unpublished M.S. thesis, University of Montana, Missoula, MT.

Wyoming Game and Fish Department. 2000. Yellowstone cutthroat trout management summary. Wyoming Game and Fish Department, Fish Division, Cheyenne, WY.

Yellowstone Cutthroat Trout Working Group. 1994. Yellowstone cutthroat trout (*Oncorhynchus clarki bouvieri*) management guide for the Yellowstone River drainage. Montana Department of Fish, Wildlife & Parks, Helena, MT, and Wyoming Game and Fish Department, Cheyenne, WY.

Young, L. 1995 (unpublished). Range Permit Re-issuance: Columbian Sharp-tailed grouse. Kootenai National Forest, Eureka, MT.

Yunick, R. P. 1985. A review of recent irruptions of the black-backed woodpecker and three-toed woodpecker in eastern North America. *Journal of Field Ornithology* 56:138–152.

Zickefoose, J. 1985. Least tern/piping plover recovery program. Final report to The Nature Conservancy, Connecticut Chapter. 22 pp.

Zubik, R. J. 1988. A site specific management plan for the lower Stillwater bald eagle territory. Unpublished report. Montana Department of Fish, Wildlife & Parks, Kalispell, MT. 43 pp.